

DAFTAR PUSTAKA

- Alphs, L., Nasrallah, H. A., Bossie, C. A., Fu, D. J., Gopal, S., Hough, D., & Turkoz, I. (2016). Factors associated with relapse in schizophrenia despite adherence to long-acting injectable antipsychotic therapy. *International Clinical Psychopharmacology*, 31(4), 202–209. <https://doi.org/10.1097/YIC.0000000000000125>
- Alvarez, M., Priede, A., Hetrick, S. E., Bendall, S., Killackey, E., & Parker, A. G. (2012). Risk factors for relapse following treatment for first episode psychosis : A systematic review and meta-analysis of longitudinal studies. *Schizophrenia Research*, 139(1–3), 116–128. <https://doi.org/10.1016/j.schres.2012.05.007>
- Anwar, A. (2013). Relaps Pada Pasien Skizofrenia. *Jurnal Ilmiah Psikologi Terapan*, 01(01), 53–65.
- Astuti, Ana Puji, Susilo, T., & Putra, Sang Made Adiatmama. (2017). Hubungan Kepatuhan Minum Obat Dengan Periode Kekambuhan Pada Pasien Skizofrenia: Halusinasi Di Rumah Sakit Jiwa Prof. Dr. Soeroyo Magelang. *Cendikia Utama Jurnal Keperawatan Dan Kesehatan Masyarakat*, 6, 53–62.
- Cempaka, A. Arum. (2018). Medication Adherence As A Dominant Factor Influencing Schizophrenia Relapse. *Word Journal of Advance Healthcare Research*, 2(4).
- Claramita, M. (2012). Doctor Patient Communication In Southeast Asia : A Different Culture. In *Springer*.
- Depkes. (2004). *Pedoman Penggolongan dan Diagnosis Gangguan jiwa Di Indonesia* (3rd ed.).
- Dewi, R., & Marchira, Carla R. (2009). Riwayat Gangguan Jiwa Pada Keluarga Dengan Kekambuhan. *Berita Kedokteran Masyarakat*, 25(4), 176–179.
- DiPiro, J. T. (2009). Pharmacotherapy Handbook Seventh Edition. In *The McGraw-Hill Companies* (p. 1066).
- Dwidiyanti, M., & Sari, S. P. (2019). Kepatuhan Minum Obat Pasien Skizofrenia Melalui Terapi Drug Compliance With Skizofrenia Patients Through Islamic Spiritual Mindfulness Therapy. *Jurnal Ilmu Keperawatan Jiwa*, 2(1), 79–82.
- Elina, S., & Promono, D. (2010). Determinan Terhadap Timbulnya Skizofrenia Pada pasien Rawat Jalan Di Rumah Sakit Jiwa Prof. Hb Sanin Padang. *Berita Kedokteran Masyarakat*, 26(2), 71–80.
- Eticha, T., Teklu, A., Ali, D., Solomon, G., & Alemayehu, A. (2015). Factors Associated with Medication Adherence among Patients with Schizophrenia in Mekelle , Northern Ethiopia. *Plos One*, 1–11. <https://doi.org/10.1371/journal.pone.0120560>
- Gemilang, B. M., Bagus, C., Lesmana, J., Nyoman, L., & Aryani, A. (2017). Karakteristik Pasien Relapse pada Pasien Skizofrenia dan Faktor Pencetusnya di Rumah Sakit Jiwa (RSJ)

Provinsi Bali. 61–65.

- Gogtay, N., Vyas, N. S., Testa, R., Wood, S. J., & Pantelis, C. (2011). Age of onset of schizophrenia: Perspectives from structural neuroimaging studies. *Schizophrenia Bulletin*, 37(3), 504–513. <https://doi.org/10.1093/schbul/sbr030>
- Herz, M. I., Liberman, R. P., McGlashan, T. H., Lieberman, J. A., Wyatt, R. J., Marder, S. R., Wang, P., Allgulander, C., Baldessarini, R. J., Balon, R., Bellack, A. S., Berlin, J., Blackington, C. H., Buckley, P., Carlson, D. G., Cott, J., Cournos, F., Desai, P., Dickstein, L., ... Zonana, H. V. (2010). Practice guideline for the treatment of patients with schizophrenia. In *American Journal of Psychiatry* (Vol. 7, Issue 4 SUPPL.). <https://doi.org/10.1176/ajp.154.4.1>
- Ingram, I. ., Timbury, G. ., & Mowbray, R. . (1993). *Catatan Kuliah Psikiatri* (Peter anugrah (ed.)). Buku Kedokteran EGC.
- Jiwo, T. (2012). Mengenal Schizophrenia. *Kuliah Psikiatri*, 01, 11.
- Keliat, B. ., & Akemat. (2009). Model Praktek Keperawatan Profesional Jiwa. EGC.
- Kemenkes. (2016). Peran Keluarga Dukungan Kesehatan Jiwa Masyarakat.
- Lailatushifah, S. N. F. (2012). Kepatuhan Pasien yang Menderita Penyakit Kronis Dalam Mengonsumsi Obat Harian. *Fakultas Psikologi Universitas Mercu Buana Yogyakarta*, 1–9. <http://fpsi.mercubuana-yogya.ac.id/wp-content/uploads/2012/06/Noor-Kepatuhan...pdf>
- Niven, N. (2002). Psikologi Kesehatan : Pengantar Untuk Perawat & Profesional Kesehatan Latin (2nd ed.). EGC.
- Novick, D., Maria, J., Suarez, D., Perez, V., Dittmann, R. W., & Haddad, P. M. (2010). Predictors and clinical consequences of non-adherence with antipsychotic medication in the outpatient treatment of schizophrenia. *Psychiatry Research*, 176(2–3), 109–113. <https://doi.org/10.1016/j.psychres.2009.05.004>
- Nurjamil, D., & Rokayah, C. (2017). Hubungan Antara Peran Keluarga Dengan Kepatuhan Minum Obat Pasien Skizofrenia. *Jurnal Keperawatan Jiwa*, 1, 53–59.
- Olivares, J. M., Sermon, J., Hemels, M., & Schreiner, A. (2013). Definitions and drivers of relapse in patients with schizophrenia: A systematic literature review. *Annals of General Psychiatry*, 12(1), 1–11. <https://doi.org/10.1186/1744-859X-12-32>
- Osterberg, L., & Blaschke, T. (2005). Adherence to medication. *The New England Journal Of Medicine*, 6(2), 487–497. <https://doi.org/10.1056/nejm200511033531819>
- Owen, M. J., Sawa, A., & Mortensen, P. B. (2016). Schizophrenia. *The Lancet*, 388(10039), 86–97. [https://doi.org/10.1016/S0140-6736\(15\)01121-6](https://doi.org/10.1016/S0140-6736(15)01121-6)
- Pasaribu, J. (2019). Kepatuhan Minum Obat Mempengaruhi Relaps Pasien Skizofrenia. *Jurnal*

Keperawatan Jiwa, 7(1), 39. <https://doi.org/10.26714/jkj.7.1.2019.39-46>

- Patterson, & Leeuwenkamp. (2008). Adjunctive psychosocial therapies for the treatment of schizophrenia. *Schizophrenia Research*, 100(1), 108–119.
- PDSKJI. (2012). Pedoman Nasional Pelayanan Kedokteran (PNPK) Jiwa / Psikiatri. In *Pedoman Nasional Pelayanan Kedokteran (PNPK) Jiwa/Psikiatri*.
- Pratt, S. I., Mueser, K. T., Driscoll, M., Wolfe, R., & Bartels, S. J. (2006). Medication nonadherence in older people with serious mental illness: Prevalence and correlates. *Psychiatric Rehabilitation Journal*, 29(4), 299–310. <https://doi.org/10.2975/29.2006.299.310>
- Rasool, S., Zeeshan, M., & Erum, A. (2018). Schizophrenia : An overview. *Clinical Practice*, 15, 847–851.
- Riskesdas. (2018). Hasil Utama Riset Kesehata Dasar (RISKESDAS). In *Kementrian Kesehatan Republik Indonesia*.
- Schoeler, T., Petros, N., Forti, M. Di, Klamerus, E., Foglia, E., Murray, R., & Bhattacharyya, S. (2016). Examining the association between continued cannabis use and risk of relapse in first episode psychosis: a quasi-experimental investigation within an observational study. *JAMA Psychiatry*, 73, 1173–1179.
- Schoeler, T., Petros, N., Forti, M. Di, Klamerus, E., Foglia, E., Murray, R., & Bhattacharyya, S. (2017). Poor medication adherence and risk of relapse associated with continued cannabis use in patients with first-episode psychosis : a prospective analysis. *The Lancet Psychiatry*, 0366(17), 1–7. [https://doi.org/10.1016/S2215-0366\(17\)30233-X](https://doi.org/10.1016/S2215-0366(17)30233-X)
- Septi Sandriani, B. (2013). Hubungan Kepatuhan Minum Obat Dengan Tingkat Kekambuhan Pada Pasien Skizofrenia Di Poliklinik Rumah Sakit Jiwa Grhasia Diy. *Stikes Aisiah Yogyakarta*.
- Setiati, E., Dw, S., & Suryawati, S. (2017). *Dukungan sosial dan ketaatan pengobatan dengan kekambuhan pasien skizofrenia di Purworejo*. 33(6), 305–310.
- Sianturi, F. L. (2014). Risperidone and Haloperidol Comparative Effects of Positive Symptoms Patient Schizophrenic. *Journal of Biology, Agriculture and Health Care*, 4(28), 87–93.
- Silverman, J. J., Galanter, M., Jackson-Triche, M., Jacobs, D. G., Lomax, J. W., Riba, M. B., Tong, L. D., Watkins, K. E., Fochtmann, L. J., Rhoads, R. S., & Yager, J. (2015). The american psychiatric association practice guidelines for the psychiatric evaluation of adults. In *American Journal of Psychiatry* (Vol. 172, Issue 8). <https://doi.org/10.1176/appi.ajp.2015.1720501>
- Singh, P. M., Karmacharya, S., & Khadka, S. (2019). Severity Of Relapse And Medication Adherence In Patient Of Schizophrenia: A Study From Nepal. *Journal of Psychiatrists' Association of Nepal*, 8(2), 54–58. <https://doi.org/10.3126/jpan.v8i2.28027>
- Siti Qurrotu Aini. (2015). Faktor-Faktor Penyebab Kekambuhan Pada Penderita Skizofrenia

- Setelah Perawatan Di Rumah Sakit Jiwa. *Jurnal Litbang*, XI(1), 65–73.
- Stępnicki, P., Kondej, M., & Kaczor, A. A. (2018). Current concepts and treatments of schizophrenia. *Molecules*, 23(8). <https://doi.org/10.3390/molecules23082087>
- Stuart, G. ., & Laraia, M. . (2005). *Principles and Practice Of Psychiatric Nursing* (7th ed.). ST. Louis.
- Sulung, N., & Foresa, N. (2018). Efektifitas intervensi psikoedukasi terhadap kepatuhan berobat pasien skizofrenia. *REAL in Nursing Journal (RNJ)*, 1(1).
- Suzuki, Y., Yasumura, S., Fukao, A., & Otani, K. (2003). Associated factors of rehospitalization among schizophrenic patients. *Psychiatry and Clinical Neurosciences*, 57(6), 555–561. <https://doi.org/10.1046/j.1440-1819.2003.01167.x>
- Team Medical Mini Notes. (2019). *Basic Pharmacology & Drug Notes*. MMN Publishing.
- Wu, F., Huang, Y., Zhou, Y., Li, H., Sun, B., Zhong, X., & Luo, X. (2017). *Factors influencing relapse in schizophrenia : A longitudinal study in China .* 28(9), 4076–4082.
- Xiao, J., Mi, W., Li, L., Shi, Y., & Zhang, H. (2015). High relapse rate and poor medication adherence in the Chinese population with schizophrenia : results from an observational survey in the People ’ s Republic of China. *Neuropsychiatric Disease and Treatment*, 1161–1167.
- Yusuf, A., & Fitryasari, R. (2019). *An Analysis of Factors Associated with the Relapse History of clients with Schizophrenia at an Outpatient Polyclinic C o v e d b y S c r e u s. March 2020.* <https://doi.org/10.5958/0976-5506.2019.02639.1>
- Zahnia, S., & Wulan Sumekar, D. (2016). Kajian Epidemiologis Skizofrenia. *Majority*, 5(5), 160–166. <http://juke.kedokteran.unila.ac.id/index.php/majority/article/view/904/812>
- Zygmunt, A., Ph, D., Olfson, M., Boyer, C. a, & Mechanic, D. (2002). Reviews and Overviews in Schizophrenia. *American Journal of Psychiatry*, 159(7), 1653–1664.