

DAFTAR PUSTAKA

- Adebajo, A. 2010. ABC of rheumatology. Edisi ke-4. Wiley-Blackwell, Oxford.
- Alateha, D., T. Neogi, A. J. Silman, J. Funovits, D. T. Felson, C. O. Bingham, N. S. Birnbaum, G.R. Burmester, V.P. Byeker, M. D. Cohen, B. Combe, K. H. Costenbader, M. Dougados, P. Emery, G. Ferraccioli, J. M. W. Hazes, K. Hobbs, T. W. J. Huizinga, A. Kavanaugh, J. Kay, T. K. Kvien, T. Laing, P. Mease, H. A. Menard, L. W. Moreland, R. L. Naden, T. Pincus, J. S. Smolen, E. S. Biernat, D. Symmons, P. P. Tak, K. S. Upchurch, J. Vencovsky, F. Wolfe, & G. Hawker. 2010. Rheumatoid Arthritis Classification Criteria. *An Official Journal of the -American Collage American College Rheumatology*, 2012. Guidelines for the Management of Rheumatoid Arthritis, Arthritis & Rheumatism, 46 (2), 328–346 of *Rheumatology*. 62:2569-2581
- Almerstani, Y.M., Aljuhani, A., Alsaad, S.A., Alalwani, B.M., Alsahlawi, A.M., Alyamy, T.M., Aljohani R.M., dan Alosaimi A.M. (2019). NSAID associated with an increased risk of peptic ulcer among patient with arthritis. *International Journal of Medicine in Developing Countries*. 3(7): 597-600.
- Badan Statistik Kota Banjarmasin (2020). Kota Banjarmasin Dalam Angka 2020. Banjarmasin
- Bjarnason, I., Hayllar, J., MacPherson, A.J., Russell, A.S. (1993). Side effects of nonsteroidal anti-inflammatory drugs on the small intestine in humans. *Gastroenterology*. 104:1832–47.
- Chi, T.Y., Zhu, H.M., Zhang, M. (2018). Risk factors associated with nonsteroidal anti-inflammatory drugs (NSAIDs)-induced gastrointestinal bleeding resulting on people over 60 years old in Beijing. *Medicine* (2018) 97:18.
- Cutolo, M. (2009). Androgens in rheumatoid arthritis: when are they effectors? *Arthritis Research & Therapy*. 11(5).
- Dipiro, J. T., R. L. Talbert, G. C. Yee, B. G. Wells, & I. M. Posey. 2005. Pharmacotherapy A Pathophysiologic Approach. Edisi ke-6. McGRAWHILL, New York
- Dipiro, J.T., Wells B.G., Schwinghammer T.L. and DiPiro C. V., 2015, Pharmacotherapy Handbook, Ninth Edit., McGraw-Hill Education Companies, Inggris.
- Dipiro, J.T, Talbert, R.L., Yee, G.C., Matzke, G.R, Wells, B.G., Posey, LM, 2017. Pharmacotherapy A Pathophysiologic Approach Tenth Edition. McGraw-Hill Companies, United State, pp. 569585
- Fidahic, M., Jelacic, K.A., Radic, M., Puljak, L. (2017). Celecoxib for rheumatoid arthritis (Review). *Cochrane Database of Systematic Reviews*. 6.CD012095.
- Goldstein, J.L., Eisen, G.M., Lewis, B., Gralnek, I.M., Zlotnick, S., Fort, J.G. (2005). Investigators. Video capsule endoscopy to prospectively assess small

- bowel injury with celecoxib, naproxen plus omeprazole, and placebo. *Clin Gastroenterol Hepatol.* 3:133–41.
- Gong, L., Thorn, C.F., Bertagnolli, M.M., Grosser, T., Altman, R.B., dan Klein, T.E. (2012). Celecoxib pathways: pharmacokinetics and pharmacodynamics. *Pharmacogenet Genomics.* 22(4): 310–318.
- Gunawan, S.G., 2008, *Farmakologi dan Terapi* ed 5, Jakarta: Balai Penerbit FKUI.
- Hendera, Suryana dan Yulistiani. 2015. *Gastrointestinal Tolerability Of Diclofenac Sodium And Meloxicam In Osteoarthritis Patient.* Surabaya: Universitas Airlangga
- Higuchi, K., Umegaki, E., Watanabe, T., Yoda, Y., Morita, E., Murano, M., Tokioka, S., Arakawa, T. (2009). Present status and strategy of NSAIDs-induced small bowel injury. *J Gastroenterol.* 44:879–888.
- Indonesia Rheumatoid Association.* 2014. *Diagnosis dan Pengelolaan Arthritis Reumatoid.* Perhimpunan Reumatologi Indonesia, Jakarta.
- Innala, L., Berglin, E., Möller, B., Ljung, L., Smedby, T., Södergren, A., Magnusson, S., Rantapää-Dahlqvist, S. dan Wållberg-Jonsson, S. (2014). Age at onset determines severity and choice of treatment in early rheumatoid arthritis: a prospective study. *Arthritis Research & Therapy.*, 16:R94
- Intriago, M., Maldonado, G., Cárdenas, J., dan Rios, C. (2019). Clinical Characteristics in Patients with Rheumatoid Arthritis: Differences between Genders. *The Scientific World Journal.* Vol 2019.
- Kawabe, M., Miwa, H., Ohkusa, T., Yokoyama, T., Kurosawa, A., Asaoka, D., Hojo, M., Nagahara, A., Tsuda, H., dan Sato, N. (2006). Nonsteroidal Anti-Inflammatory Drug Induce Asymptomatic Gastrodeudenal Ulcers in the Japanese Population: A Case-Control Study on Its Prevalence and the Protective Effect on Anti-Ulcer Agents. *Journal of Clinical Biochemistry and Nutrition.* 39(3).
- Kellner, H.L., Li, C.H., Essex, M.N. 2013. Celecoxib and diclofenac plus omeprazole are similarly effective in the treatment of arthritis in patients at high GI risk in the CONDOR trial. *Open Rheumatol J.* 7: 96-100.
- Kołodziejaska, J., dan Kołodziejczyk, M. (2018). Diclofenac in the treatment of pain in patients with rheumatic diseases. *Reumatologia.* 56(3): 174–183.
- Komagamine, J. & Kobayashi, M. (2019). Prevalence of Hospitalisation Caused by Adverse Drug Reactions at An Internal Medicine Ward of a Single Centre in Japan: A Cross-sectional Study. *BMJ Open*; 9; 1–7.
- Kwoh, Anderson, O'dell, Roberts, Somms, & Yood. 2002. *Management of rheumatoid arthritis . Journal American Collage of Rheumatology.* 46: 328-346

- Li, C., Liu, T., Sun, W., Wu, L., dan Zou, Z.Y. (2015). Prevalence and risk factors of arthritis in a middle-aged and older Chinese population: the China Health and Retirement Longitudinal Study. *Rheumatology*. 54:697-706.
- Lovell, A. R. & Ernst, M. E. (2017). Drug-Induced Hypertension: Focus on Mechanisms and Management. *Current Hypertension Reports*; 19; 39.
- Maiden, I., Thjodleifsson, B., Seigal, A., Bjarnason, I.I., Scott, D., Birgisson, S. dan Bjarnason, I. (2007). Long-Term Effects of Nonsteroidal Anti-Inflammatory Drugs and Cyclooxygenase-2 Selective Agents on the Small Bowel: A CrossSectional Capsule Enteroscopy Study. *Clinical Gastroenterology And Hepatology* 2007;5:1040 –1045.
- Matsui, H., Shimokawa, O., Kaneko, T., Nagano, Y., Rai K., dan Hyodo, I. (2011). The pathophysiology of non-steroidal Anti-inflammatory drug (NSAID)-induced mucosal injuries in stomach and small intestine. *J. Clin. Biochem. Nutr.* 48(2): 107–111.
- Morris, A.J., Madhok, R., Sturrock, R.D., Capell, H.A., MacKenzie, J.F. (1991). Enteroscopic diagnosis of small bowel ulceration in patients receiving non-steroidal anti-inflammatory drugs. *Lancet*. 337:520.
- Naga, Sholeh. S. 2013. Buku Panduan Lengkap Ilmu Penyakit Dalam. Yogyakarta: DIVA Press.
- Pilotto, A., Seripa, D., Franceschi, M., Scarcelli, C., Colaizzo, D., Grandone, E., (2007). Genetic susceptibility to nonsteroidal antiinflammatory drug-related gastroduodenal bleeding: role of cytochrome P450 2C9 polymorphisms. *Gastroenterology*. 133:465–71.
- Pok, L.S.L., Shabaruddin, F.H., Dahlui, M., Sockalingam, S., Said, M.S., Rosman, A., Lau, I.S., Isa, L.M., Hussein, H., Ng,C.T. dan Mahadeva, S. (2018). Risk of upper gastrointestinal adverse events in Malaysian rheumatic patients on long-term non-steroidal antiinflammatory drugs. *Int. J. Clin. Rheumatol.* 13(3): 172-178.
- Rahmawati, F., Pramantara, I. D. P., Rochmah, W. & Sulaiman, A. S. (2008). Adverse Drug Reactions (ADRs) in Geriatric Hospitalized Patients. *Majalah Farmasi Indonesia*; 19; 185–190.
- Silverstein, F.E., Faich, G., Goldstein, J.L., Simon, L.S., Pincus, T., Whelton, A., Makuch, R., Eisen, G., Agrawal, N.M., Stenson, W.F., Burr, A.M., Zhao, W.W., Kent, J.D., Lefkowitz J.B., Verbugurg, K.M., Geis, G.S. (2000). Gastrointestinal toxicity with celecoxib vs nonsteroidal anti-inflammatory drugs for osteoarthritis and rheumatoid arthritis: the CLASS study: a randomized controlled trial, *Journal of the American Medical Association*, 284(10): 10.

- Simon, L.S., Weaver, A.L., Graham, D.Y., Kivitz, A.J., Lipsky, P.E., Hubbard, R.C., Isakson, P.C., Verburg, K.M., Yu, S.S., Zhao, W.W., dan Geis, G.S. (2011). Anti-inflammatory and upper gastrointestinal effects of celecoxib Rheumatoid Arthritis. Randomized controlled Trial. *J. Clin. Biochem. Nutr.* 48(2): 107–111.
- Sinha, M., Gautam, L., Shukla, P.K., Kaur, P., Sharma, S. dan Singh, T.P. (2013). Current Perspectives in NSAID-Induced Gastropathy. *Mediators of Inflammation*. Vol 2013.
- Sokka, T., Toloza, S., Cutolo, M., Kautiainen, H., Makinen, H., Gogus, E., Skakic, V., Badsha, H., Peets, T., Baranauskaite, A., Géher, P., Újfalussy, I., Skopouli, F.N., Mavrommati, M., Alten, A., Pohl, C., Sibilia, J., Stancati, A., Salaffi, F., Romanowski, W., Wierzbinska, D.Z., Henrohn, D. (2008). Women, men, and rheumatoid arthritis: analyses of disease activity, disease characteristics, and treatments in the QUEST-RA Study. *Arthritis Research & Therapy*. 11(1).
- Solomon, D.H., Husni, M.E., Libby, P.A., Yeomans, N.D., Lincoff, A.M., Lüscher, T.F., Menon, V., Brennan, D.M., Wisniewski, L.M., Nissen, S.E., dan Borer, J.S. (2017). The Risk of Major NSAID Toxicity with Celecoxib, Ibuprofen, or Naproxen: A Secondary Analysis of the PRECISION Trial. *The American Journal of Medicine*. 130(12).
- Tachecí, I., Bradna, P., Douda, T., Baštecká, D., Kopáčová, M., dan Bureš, J. (2016). Small intestinal injury in NSAID users suffering from rheumatoid arthritis or osteoarthritis. *Rheumatol Int* (2016)36:1557–1561.
- Tachecí, I., Bradna, P., Douda, T., Baštecká, D., Kopálová, M., Rejchrt, S., dan Bureš, J. (2013). NSAID-Induced Enteropathy in Rheumatoid Arthritis Patients with Chronic Occult Gastrointestinal Bleeding: A Prospective Capsule Endoscopy Study. *Gastroenterology Research and Practice*. Vol. 2013.
- Takeuchi, K., dan Satoh, H. (2015). NSAID-Induced Small Intestinal Damage –Roles of Various Pathogenic Factors. *Digestion*. 91:218–232.
- Tsujimoto, S., Mokuda, S., Matoba, K., Yamada, A., Jouyama, K., Murata, Y. (2018). The prevalence of endoscopic gastric mucosal damage in patients with rheumatoid arthritis. *PLoS ONE*. 13(7).
- Walker, C. (2018). Are All Oral COX-2 Selective Inhibitors the Same? A Consideration of Celecoxib, Etoricoxib, and Diclofenac. *International Journal of Rheumatology*. Vol 2018.
- Wallace, J.L. (2001). Pathogenesis of NSAID-induced gastroduodenal mucosal injury. *Best Practice & Research Clinical Gastroenterology*. 15(5): 691-703.
- Waranugraha, Y., Suryana, P., dan Pratomo, B. (2010). Hubungan Pola Penggunaan OAINS dengan Gejala Klinis Gastropati pada Pasien Reumatik. *Jurnal Kedokteran Brawijaya*. 26(2).
- Weideman, R.A., Kelly, K.C., Kazi, S., Cung, A., Roberts, K.W., Smith, H.J., Cryer, B., Sarosi, G.A., Little, B.B. (2004). Risks of Clinically Significant Upper

Gastrointestinal Events With Etodolac and Naproxen: A Historical Cohort Analysis. *Gastroenterology*. 127(5).

Weyand, C.M., Yang, Z., dan Goronzy, J.J. (2014). T Cell Aging in Rheumatoid Arthritis. *Curr Opin Rheumatol*. 26(1): 93–100.

Zed, M. (2014). Metode penelitian kepustakaan. Jakarta: Yayasan Pustaka Obor Indonesia