

## DAFTAR PUSTAKA

- Abdurrachman, Dzikra Nurseptiani, Maushaly Adani. (2019). Pengaruh Cycling Exercise Terhadap Penurunan Nyeri Pada Osteoarthritis Di Posyandu Lansia Puskesmas Kedungwuni II Kabupaten Pekalongan. 4(2), 198–208.
- Akande-Sholabi, W., Adebusoye, L. A., & Olowookere, O. O. (2018). Potentially inappropriate medication use among older patients attending a geriatric centre in south-west Nigeria. *Pharmacy Practice*, 16(3), 1–7.
- Alhawassi, T. M., Alatawi, W., & Alwhaibi, M. (2019). Prevalence of potentially inappropriate medications use among older adults and risk factors using the 2015 American Geriatrics Society Beers criteria. *BMC Geriatrics*, 19(1), 1–8.
- Anggraini, N. E. & Hendrati, L. Y. (2014). Hubungan Obesitas dan Faktor-Faktor Pada Individu dengan Kejadian Osteoarthritis Genu The Relation of Obesity and Individual Factors with Knee Osteoarthritis. Jurnal Berkala Epidemiologi, 1(1), 93–104.
- Anisa Ika Pratiwi. (2015). Diagnosis and treatment Osteoarthritis. J Majority, Vol (4). Faculty of Medicine, University of Lampung Abstract.
- Awad, A., & Hanna, O. (2019). Potentially inappropriate medication use among geriatric patients in primary care setting: A cross-sectional study using the Beers, STOPP, FORTA and MAI criteria. *PLoS ONE*, 14(6), 1–17.
- Dr. Ayustawati, P. (2013). Mengenali Keluhan Anda Info kesehatan umum untuk pasien, 110-113.
- Erminawati. (2017). Hubungan Antara Nyeri Lutut Osteoarthritis Dengan Aktivitas Fisik Lanjut Usia.
- Fadare, J. O., Agboola, S. M., Opeke, O. A., & Alabi, R. A. (2013). Prescription pattern and prevalence of potentially inappropriate medications among elderly patients in a Nigerian rural tertiary hospital. *Therapeutics and Clinical Risk Management*, 9(1), 115–120.
- Fick, D. M., Semla, T. P., Steinman, M., Beizer, J., Brandt, N., Dombrowski, R., Sandhu, S. (2019). American Geriatrics Society 2019 Updated AGS Beers Criteria® for Potentially Inappropriate Medication Use in Older Adults. *Journal of the American Geriatrics Society*, 67(4), 674–694.
- Fick, D., Semla, T., Beizer, J., Brandt, N., Dombrowski, R., DuBeau, C. E., Steinman, M. (2012). American Geriatrics Society updated Beers Criteria

for potentially inappropriate medication use in older adults. *Journal of the American Geriatrics Society*, 60(4), 616–631.

Hidayatus Sya'diyah. (2018). Keperawatan lanjut usia : teori dan aplikasi. Sidoarjo : Indomedia Pustaka, 2018

Indonesian Rheumatology Association. (2014). Diagnosis dan Penatalaksanaan Osteoartritis. In Rekomendasi IRA untuk Diagnosis dan Penatalaksanaan Osteoartritis.

Jeon, H. L., Park, J., Han, E., & Kim, D. S. (2018). Potentially inappropriate medication and hospitalization/emergency department visits among the elderly in Korea. *International Journal for Quality in Health Care*, 30(1), 50–56.

Juliha, S. (2018). Identifikasi Potentially Inappropriate Medications (PIMs) Berdasarkan Kriteria STOPP START pada Pasien Geriatri Rawat Inap di RS Advent Bandar Lampung. *Jurnal Analis Kesehatan*, 7(1), 657.

Karandikar Yogita S. & Dhande Priti P. (2013). Measuring inappropriate prescriptions in geriatric population: Overview of various screening tools. *International Journal of Medical Research & Health Sciences*, 2(3), 636.

Kementerian Kesehatan RI. (2013). Gambaran Kesehatan Lanjut Usia di Indonesia. Jakarta.

Kementerian Kesehatan RI. (2014). Peraturan Menteri Kesehatan Republik Indonesia Nomor 79 Tahun 2014 (Vol. 2014). Jakarta.

Kementerian Kesehatan RI. (2016). Situasi lanjut usia (lansia) di Indonesia 29 Mei - Hari Lanjut Usia Nasional. Bogor.

Komagamine, J., Sugawara, K., & Hagane, K. (2018). Characteristics of elderly patients with polypharmacy who refuse to participate in an in-hos deprescribing intervention: A retrospective cross-sectional study. *Lancet Geriatrics*, 18(1), 1–6.

Latifa, A. (2015). Evaluasi Potensi Penggunaan Obat Yang Tidak Tepat Pada Peresepan Pasien Geriatri Rawat Jalan di RSD dr.Soebandi Jember berdasarkan Beers Criteria. 27.

Lohman, M. C., Cotton, B. P., Zagaria, A. B., Bao, Y., Greenberg, R. L., Fortuna, K. L., & Bruce, M. L. (2017). Hospitalization Risk and Potentially Inappropriate Medications among Medicare Home Health Nursing Patients. *Journal of General Internal Medicine*, 32(12), 1301–1308

- Mukherjee, P. K., Nema, N. K., Venkatesh, P., & Debnath, P. K. (2012). Changing scenario for promotion and development of Ayurveda - Way forward. *Journal of Ethnopharmacology*, 143(2), 424–434.
- Namirah Muh. Syuaib AS, A., Darmawan, E., & Mustofa, M. (2015). Penggunaan Potentially Inappropriate Medications (PIMs) pada pasien geriatri rawat inap osteoarthritis di RS PKU Muhammadiyah Yogyakarta. *Pharmaciana*, 5(1), 77–84.
- Negara, Y. R., Machlaurin, A., & Rachmawati, E. (2016). Potensi Penggunaan Obat yang Tidak Tepat pada Pereseptan Pasien Geriatri Rawat Jalan di RSD dr . Soebandi Jember Berdasarkan Beers Criteria. *E-Jurnal Pustaka Kesehatan*, 4, 14–19.
- Onda, M., Imai, H., Takada, Y., Fujii, S., Shono, T., & Nanaumi, Y. (2015). Identification and prevalence of adverse drug events caused by potentially inappropriate medication in homebound elderly patients: A retrospective study using a nationwide survey in Japan. *BMJ Open*, 5(8).
- Rohan A Elliott, Paulina Stehlík. (2013). Identifying Inappropriate Prescribing for Older People. 43(4), 3–10.
- Sarwar, M. R., Dar, A. R., Mahar, S. Y., Riaz, T., Danish, U., & Iftikhar, S. (2018). Assessment of prescribing potentially inappropriate medications listed in beers criteria and its association with the unplanned hospitalization: A cross-sectional study in Lahore, Pakistan. *Clinical Interventions in Aging*, 13, 1485–1495.
- Sidiq, F. M. (2014). Penatalaksanaan Fisioterapi Pada Kasus Osteoarthritis Knee Sinistra di RST Dr. Soedjono Magelang.
- Siti Setiati. (2014). Geriatric Medicine, Sarkopenia, Frailty, dan Kualitas Hidup Pasien Usia Lanjut: Tantangan Masa Depan Pendidikan, Penelitian dan Pelayanan Kedokteran di Indonesia. *EJournal Kedokteran Indonesia*, 1(3).
- Taufik, N. (2014). Hubungan Dukungan Keluarga dengan Tingkat Kecemasan pada Lanjut Usia (Lansia) yang Mengalami Arthritis Rheumatoid di Wilayah Kerja Puskesmas Cendrawasih Makassar.
- Ubeda, A., Ferrandiz, M. L., Maicas, N., Gomez, C., Bonet, M., & Peris, J. E. (2012). Prescripción potencialmente inapropiada en ancianos institucionalizados en España: Los criterios STOPP-START comparados con los criterios de beers. *Pharmacy Practice*, 10(2), 83–91.

Wang, T. Trezise, D., & Wang, H. Y. (2019). Association between potentially inappropriate medication use and chronic diseases in the elderly. *International Journal of Environmental Research and Public Health*, 16(12)