

DAFTAR PUSTAKA

- Adawiah, A., Sukandar, D., & Muawanah, A. (2015). Aktivitas Antioksidan dan Kandungan Komponen Bioaktif Sari Buah Namnam. *Jurnal Kimia VALENSI*, 1(November), 130–136. <https://doi.org/10.15408/jkv.v0i0.3155>
- Anam, C., Kawiji, & Setiawan, R. D. (2013). Kajian Karakteristik Fisik Dan Sensori Serta Aktivitas Antioksidan Dari Granul Effervescent Buah Beet (Beta vulgaris) Dengan Perbedaan Metode Granulasi Dan Kombinasi Sumber Asam. *Jurnal Teknosains Pangan*, 2(2), 21–28.
- Artanti, A. N., & Lisnasari, R. (2018). Uji Aktivitas Antioksidan Ekstrak Ethanol Daun Family Solanum Menggunakan Metode Reduksi Radikal Bebas DPPH. *JPSCR : Journal of Pharmaceutical Science and Clinical Research*, 3(2), 62. <https://doi.org/10.20961/jpscr.v3i2.15378>
- Babarykin, D., Smirnova, G., Pundinsh, I., Vasiljeva, S., Krumina, G., & Agejchenko, V. (2019). Red Beet (Beta vulgaris) Impact on Human Health. *Journal of Biosciences and Medicines*, 7, 61–79. <https://doi.org/10.4236/jbm.2019.73007>
- Badarinath, A. V, Rao, K. M., Chetty, C. M. S., Ramkanth, S., Rajan, T. V. S., & Gnanaprakash, K. (2014). Costing systems for use in public universities: the Brazilian and international context. *Int. J. Educ. Res*, 2(2), 1276–1285.
- Banjarnahor, S. D. S., & Artanti, N. (2014). Antioxidant properties of flavonoids. *Medical Journal of Indonesia*, 23(4), 239–244. <https://doi.org/10.13181/mji.v23i4.1015>
- Bariyyah, S. K., Hanapi, A., Fasya, A. G., & Abidin, M. (2013). Uji Aktivitas Antioksidan Terhadap DPPH Dan Identifikasi Golongan Senyawa Akif Ekstrak Kasar Mikroalga Chlorella sp. Hasil Kultivasi Dalam Medium Ekstrak Tauge. *Alchemy*, 2(3), 195–204. <https://doi.org/10.18860/al.v0i0.2890>
- Biondo, P. B. F., Boeing, J. S., Barizão, É. O., de Souza, N. E., Matsushita, M., de Oliveira, C. C., Boroski, M., & Visentainer, J. V. (2014). Evaluation of beetroot (Beta vulgaris L.) leaves during its developmental stages: A chemical composition study. *Food Science and Technology*, 34(1), 94–101. <https://doi.org/10.1590/S0101-20612014005000007>
- Bucur, L., Țarălungă, G., & Schroder, V. (2016). The betalains content and antioxidant capacity of red beet (Beta vulgaris L. subsp. vulgaris) root. *Farmacia*, 64(2), 198–201.
- Buehler, B. A. (2012). The Free Radical Theory of Aging and Antioxidant Supplements : A Systematic Review. *Journal of Evidence-Based*, 17(3), 218–220. <https://doi.org/10.1177/2156587212441939>
- Čanadanović-Brunet, J. M., Savatović, S. S., Četković, G. S., Vulić, J. J., Djilas,

- S. M., Markov, S. L., & Cvetković, D. D. (2011). Antioxidant and antimicrobial activities of beet root pomace extracts. *Czech Journal of Food Sciences*, 29(6), 575–585. <https://doi.org/10.17221/210/2010-cjfs>
- Dontha, S. (2016). A Review On Antioxidant Methods. *Asian Journal of Pharmaceutical and Clinical Research*, 9(2), 14–32.
- El-Gengaihi, S. E., Hamed, M. A., Aboubaker, D. H., & Mossa, A. T. H. (2016). Flavonoids from sugar beet leaves as hepatoprotective agent. *International Journal of Pharmacy and Pharmaceutical Sciences*, 8(4), 281–286.
- Guldiken, B., Toydemir, G., Memis, K. N., Okur, S., & Boyacioglu, D. (2016). Home-Processed Red Beetroot (*Beta vulgaris* L .) Products : Changes in Antioxidant Properties and Bioaccessibility. *International Journal of Molecular Sciences*, 17(858), 1–13. <https://doi.org/10.3390/ijms17060858>
- Hasan, F., A. Aziz, S., & Melati, M. (2017). Perbedaan Waktu Panen Daun terhadap Produksi dan Kadar Flavonoid Tempuyung (*Sonchus arvensis* L.). *Jurnal Hortikultura Indonesia*, 8(2), 136. <https://doi.org/10.29244/jhi.8.2.136-145>
- Ifeanyi, O. E. (2018). A Review on Free Radicals and Antioxidants. *International Journal of Current Research in Medical Sciences*, 4(2), 123–133. <https://doi.org/10.22192/ijcrms.2018.04.02.019>
- ITIS. (2020). *Integrated Taxonomy Information System*. https://www.itis.gov/servlet/SingletRpt/SingletRpt?search_topic=TSN&search_value=20681#null
- Koubaier, H. B. H., Snoussi, A., Essaidi, I., Chaabouni, M. M., Thonart, P., & Bouzouita, N. (2014). Betalain and phenolic compositions, antioxidant activity of Tunisian red beet (*Beta vulgaris* L. conditiva) roots and stems extracts. *International Journal of Food Properties*, 17(9), 1934–1945. <https://doi.org/10.1080/10942912.2013.772196>
- Kumar, D. M., & Bhaumik, A. (2016). Evaluation of Antihyperlipedemic Activitu of Various Extracts of Beet Root (*Beta vulgaris*). *European Journal Of Biomedical and Pharmaceutical Sciences*, 3(12), 311–315.
- Liu, X., Jia, J., Jing, X., & Li, G. (2018). Antioxidant Activities of Extracts from Sarcocarp of *Cotoneaster multiflorus*. *Journal Of Chemistry*, 2018.
- Maesaroh, K., Kurnia, D., & Anshori, J. Al. (2018). Perbandingan Metode Uji Aktivitas Antioksidan DPPH, FRAP dan FIC Terhadap Asam Askorbat, Asam Galat dan Kuersetin. *Chimica et Natura Acta*, 6(2), 93–100.
- Magza, D. S. (2016). *Pengaruh Pemberian Ekstrak Etanol Umbi Bit (Beta vulgaris L.) terhadap Jumlah, Morfologi Spermatozoa serta Berat Testis Mencit Putih Jantan (Mus musculus L.)* [Universitas Andalas]. scholae.unand.ac.id/18944/

- Milenkovic, D., Dorovic, J., Jeremic, S., Dimitric, J. M., Avdovic, E. H., & Markovic, Z. (2017). Free Radical Scavenging Potency of Dihydroxybenzoic Acids. *Journal Of Chemistry*, 2017, 1–9.
- Naeem Rabeh, M., & Marwa Ibrahim, E. (2014). Antihypercholesterolemic effects of beet (*Beta vulgaris* L.) root waste extract on hypercholesterolemia rats and its antioxidant potential properties. *Pakistan Journal of Nutrition*, 13(9), 500–505. <https://doi.org/10.3923/pjn.2014.500.505>
- Ninfali, P., & Angelino, D. (2013). Nutritional and functional potential of *Beta vulgaris* cicla and rubra. *Fitoterapia*, 89, 188–199. <https://doi.org/10.1016/j.fitote.2013.06.004>
- Nisa, A., Saeed, K., Hina, S., Zahra, N., Mazhar, S., Kalim, I., & Syed, Q. (2015). Nutritional, Antioxidant, Microbiological and Toxicological Studies on Red Dye Extracted from Red Beet Roots (*Beta vulgaris*). *Research Journal of Chemical Sciences*, 5(4), 468–480.
- Novatama, S. M., Kusumo, E., & Supartono. (2016). Identifikasi Betasianin dan Uji Antioksidan Ekstrak Buah Bit Merah (*Beta vulgaris* L.). *Indonesian Journal of Chemical Science*, 5(3), 3–6. <https://doi.org/10.5962/bhl.title.81730>
- Olumese, F. E., & Oboh, H. A. (2016). Antioxidant and Antioxidant capacity of raw and processed Nigerian Beetroot (*Beta vulgaris*). *Nigerian Journal of Basic and Applied Science*, 24(1), 35–40.
- Pisoschi, A. M., & Pop, A. (2015). The role of antioxidants in the chemistry of oxidative stress: A review. *European Journal of Medicinal Chemistry*, 97, 55–74. <https://doi.org/10.1016/j.ejmech.2015.04.040>
- Prakash, D., Upadhyay, G., Pushpangadan, P., & Gupta, C. (2011). Antioxidant and free radical scavenging activities of some fruits. *Journal of Complementary and Integrative Medicine*, 8(1). <https://doi.org/10.2202/1553-3840.1513>
- Putri, M. C., & Tjiptaningrum, A. (2013). Efek Antianemia Buah Bit (*Beta vulgaris* L .). *Majority*, 5, 96–100.
- Ravichandran, K., Saw, N. M. M. T., Mohdaly, A. A. A., Gabr, A. M. M., Kastell, A., Riedel, H., Cai, Z., Knorr, D., & Smetanska, I. (2013). Impact of processing of red beet on betalain content and antioxidant activity. *Food Research International*, 50(2), 670–675. <https://doi.org/10.1016/j.foodres.2011.07.002>
- RS, B., DG, C., Reddy, K. S. P., & Shivaji. (2011). A Review of Antioxidants. *Journal of Indian Academy of Oral Medicine and Radiology*, 23(September), 351–353.
- Saani, M., & Lawrence, R. (2017). Evaluation of Pigments As Antioxidant and

Antibacterial Agents From Beta. *International Journal of Current Pharmaceutical Research*, 9(3), 37–41.

- Sacan, O., & Yanardag, R. (2010). Antioxidant and antiacetylcholinesterase activities of chard (*Beta vulgaris* L. var. cicla). *Food and Chemical Toxicology*, 48(5), 1275–1280. <https://doi.org/10.1016/j.fct.2010.02.022>
- Santos-sánchez, N. F., Salas-coronado, R., Villanueva-Canogo, C., & Hernandez-Carlos, B. (2019). *Antioxidant Compounds and Their Antioxidant Mechanism*.
- Sari, Y. (2018). Pengaruh Pemanasan Terhadap Kestabilan Pigmen Betalain Dari Buah Naga Merah (*Hylocereus Polyrhizus*). *Orbital: Jurnal Pendidikan Kimia*, 2(1), 37–42. <https://doi.org/10.19109/ojpk.v2i1.2168>
- Setiawan, M. A. W., Nugroho, E. K., & Lestario, L. N. (2015). Ekstraksi Betasianin Dari Kulit Umbi Bit (*Beta vulgaris*) Sebagai Pewarna Alami. *Jurnal Ilmu Pertanian*, 27(1), 38–43.
- Slavov, A., Karagyozev, V., Denev, P., & Kratchanova, M. (2013). Antioxidant Activity of Red Beet Juices Obtained after Microwave and Thermal Pretreatments. *Czech J. Food Sci.*, 31(2), 139–147.
- Sunarjono, H., & Nurrohmah, F. A. (2018). *Bertanam Sayuran Daun & Umbi*. Penebar Swadaya.
- USDA. (2019). *United States Departement of Agriculture*. <https://fdc.nal.usda.gov/fdc-app.html#/food-details/169145/nutrients>
- Verawati, Arel, A., & Arfianisa, R. (2016). Kandungan Fenolat Total Ekstrak Daun Piladang (*Solenostemon scutellarioides* (L .) Codd). *SCIENTIA*, 6(2), 79–83.
- Widawati, M., & Prasetyowati, H. (2013). Efektivitas Ekstrak Buah *Beta vulgaris* L . (Buah Bit) Dengan Berbagai Fraksi Pelarut Terhadap Mortalitas Larva *Aedes Aegypti* Effectivity Of *Beta vulgaris* L . *Aspirator*, 5(1), 23–29.
- Widyaningrum, M. L., & Suhartiningih. (2014). Pengaruh Penambahan Puree Bit (*Beta vulgaris*) Terhadap Sifat Organoleptik Kerupuk. *e-Journal Boga*, 03(1), 233–238.
- Yuhernita, & Juniarti. (2011). Analisis Senyawa Metabolit Sekunder Dari Ekstrak Metanol Daun Surian Yang Berpotensi Sebagai Antioksidan. *MAKARA SAINS*, 15(1), 48–52.
- Yuslianti, E. R. (2019). *Prinsip Dasar Pemeriksaan Radikal Bebas dan Antioksidan* (1 ed.). DEEPUBLISH.