

## DAFTAR PUSTAKA

- Adianti, M., et al. (2014). Anti-hepatitis C virus compounds obtained from Glycyrrhiza uralensis and other Glycyrrhiza species. *Microbiol Immunol*, 58: 180–187. doi: 10.1111/1348-0421.12127
- Arwansyah, Laksmi A., Tony I.S. (2014). Simulasi Docking Senyawa Kurkumin dan Analognya Sebagai Inhibitor Reseptor Androgen pada Kanker Prostat. *Current Biochemistry Journal*. Vol 1 (1): 11-19
- Berman, H. M., et al. (2000). The Protein Data Bank. *Nucleic Acids Research Are Provided Here Courtesy of Oxford University Press*. 28(1): 235–242
- BioCrick. (2020). Spatholobus suberectus Dunn. BioCrick Science Solution Spesialist. Diakses 3 Desember 2020, dari situs <https://www.biocrick.com/>
- Brusselmans, K., Vrolix, R., Verhoeven, G., Swinnen, J.V. (2005). Induction of cancer cell apoptosis by flavonoids is associated with their ability to inhibit fatty acid synthase activity. *J. Biol. Chem* 280:5636–5645
- Bronowska A.K. (2011). Thermodynamics of ligand-protein interactions: Implications for molecular design. In: Moreno-Piraján J.C., editor. Thermodynamics—Interaction Studies—Solids, Liquids and Gases. InTech; Rijeka, Croatia: pp. 1–48
- Chen, H. L. et al. (2017). Effect of total flavonoids of Spatholobus suberectus Dunn on PCV2 induced oxidative stress in RAW264.7 cells. *BMC Complem. Altern.* M.17, doi:10.1186/s12906-017-1764-6.
- Chen, M., Zhai, L., Christensen, S., Theander, T., and Kinoshita, T. (2001). Inhibition of fumarate reductase in Leishmenia major and L. Donovan by chalcones. *Antimicrob. Agents Chemother.* 45. 2023-2029.
- Chen, Y., Liu, Q., & Guo, D. (2020). Emerging coronaviruses: Genome structure, replication, and pathogenesis. *Journal of Medical Virology*, 4: 418–423. <https://doi.org/10.1002/jmv.25681>.
- Chokchaisiri, R., Suaisom, C., Sriphota, S., Chindaduang, A., Chuprjab, T., Suksamrarn, A. (2009). Bioactive flavonoids of the flowers of Butea monosperma. *Chem Pharm Bull*, 4:428–32.
- Chunhakant, S., Chaicharoenpong, C. (2019). Antityrosinase, Antioxidant, and Cytotoxic Activities of Phytochemical Constituents from Manilkara zapota L. Bark. *Molecules*, 24, 2798; doi:10.3390/molecules2415279

- Dai, W., et al. (2019). Antiviral Efficacy of Flavonoids against Enterovirus 71 Infection in Vitro and in Newborn Mice. *Mdpi Journal, Viruses* 11, 625; doi:10.3390/v11070625.
- Ding, B., Yuan, L., Yu, H., Li, L., Ma, W., Bi, Y., et al. (2011). Genistein and Folic Acid prevent oxidative injury induced by b-amyloid peptide. *Basic Clin Pharmacol Toxicol*, 108:333–40.
- Dok-Go, H., Lee, K.H., Kim, H.J., et al. (2003). Neuroprotective effects of antioxidative flavonoids, quercetin, (+)-dihydroquercetin and quercetin 3-methyl ether, isolated from *Opuntia ficusindica* var. Saboten. *Brain Research* vol. 965, 1–2:130–136.
- Fu, Y.J., Zhu, Y.G., Liu, X., Wu, N., Kong, Y., Luo, M., et al. (2009). Super-critical extract of pigeon pea leaves and application of pigeon pea stilbene acid in the preparation of antitumor drug. CN101569654A:11-4.
- Fu, Y.J., Zhu, Y.G., Wu, N., Kong, Y., Liu, W., Hua, X. (2009). Application of Cajanus cajan stilbene acid and pinostrobin in Cajanus cajan leaf in preparing anti-herpes virus medicament. CN101485649:7-22.
- Funkhouser, T. (2007). *Protein-Ligand Docking Methods*. Princeton, New Jersey, U.S.A: Princeton University.
- Goda, Y., Shibaya, M., Sankawa, U., Yukihiro, G. (1987). Inhibitors of prostaglandin biosynthesis from *Mucuna birdwoodiana*. *Chem Pharm Bull*, 35:2675-2677.
- Global Biodiversity Information Facility (GBIF). (2020). *Peronema canescens* Jack. Diakses 13 Juni 2020, dari <https://www.gbif.org/species/3889106>
- Hongbin Yang, Chaofeng Lou, Lixia Sun, Jie Li, Yingchun Cai, Zhuang Wang, Weihua Li, Guixia Liu, Yun Tang. admetSAR 2.0: web-service for prediction and optimization of chemical ADMET properties. *Bioinformatics*, 2018, bty707.
- Hsu, Y.L., Chia, C.C., Chen, P.J., Huang, S.E., Huang, S.C., Kuo, P.L. (2009). Shallot and licorice constituent isoliquiritigenin arrests cell cycle progression and induces apoptosis through the induction of ATM/p53 and initiation of the mitochondrial system in human cervical carcinoma HeLa cells. *Mol Nutr Food Res*, 53: 826-835.
- Huang KC. (Eds). (1993). The pharmacology of Chinese herbs. *Boca Raton: CRC Press*; 261.
- Huang, W.H., Lee, A.R., Yang, C.H. (2006). Antioxidative and anti-inflammatory activities of polyhydroxy flavonoids of *Scutellaria baicalensis*. *Biosci Biotechnol Biochem*, 70:2371–80.

- H. Yang., et al. (2019). “AdmetSAR 2.0: Web-service for prediction and optimization of chemical ADMET properties,” *Bioinformatics*, vol. 35, no. 6, pp. 1067– 1069.
- Idrees, S., Ashfaq, U.A. (2014). Discovery and design of cyclic peptides as dengue virus inhibitors through structure- based molecular docking. *Asian Pacific Journal of Tropical Medicine*. 7(7):513-516.
- Ismaili, H., Sosa, S., Brkic, D., Fkih-Tetouani, S., Ildrissi, A., Touati, D., Aquino, R.P., Tubaro, A. (2002). Topical anti-inflammatory activity of extracts and compounds from thymus broussonettii. *J. Pharm. Pharmacol*, 54:1137– 1140.
- Jain, A.N., Nicolls, A. (2008). Recommendations for Evaluations of Computational Methods, *J. Comput. Aided Mol. Des.*, 22:133-139.
- Jiang, S.Y., Huang, K., Liu, W., Fu, F.M., Xu, J. (2015). Combined AutoDock and comparative molecular field analysis study on predicting 5-lipoxygenase inhibitory activity of flavonoids isolated from *Spatholobus suberectus Dunn*. *Zeitschrift Fur Naturforschung C Journal of Biosciences*, 70 (3–4):103–13.
- Ji Pang., Jin-peng, G., Min Jin., Zhi-qiang, C., Xin-wei, W., Jun-wen, L. (2011). Antiviral Effects of Aqueous Extract from *Spatholobus suberectus Dunn* against Coxsackievirus B3 in Mice. *Chin J Integr Med*, 17(10):764-769.
- Jung, M., et al. (2003). Antioxidant Activity from the Stem Bark of *Albizia julibrissin*. *Arch Pharm Res*, Vol 26, No 6, 458-462.
- Kementrian Kesehatan. (2020). ‘Pedoman COVID REV-4’ *Pedoman Pencegahan dan Pengendalian Coronavirus Disease (COVID-19)*, 1(Revisi ke-4), pp. 1–125.
- Khaerunnisa, S., Kurniawan, H., Awaluddin, R., Suhartati, S., Soejipto, S. (2020). Potential Inhibitor of COVID-19 Main Protease ( $M^{pro}$ ) from Several Medicinal Plant Compounds by Molecular Docking Study. *Preprint*: doi:10.20944/preprints202003.0226.v1.
- Kim, M.J., Lee, Y.H., Kwak, J., Na, Y., Yoon, HG. (2011). Protective effects of a chalcone derivative against A $\beta$ -induced oxidative stress and neuronal damage. *BMB Rep*, 44: 730-734.
- Kim, Y.W., Kim, Y.M., Yang, Y.M., Kay, H.Y, Kim, W.D, Lee, J.W, et al. (2011). Inhibition of LXR  $\alpha$ -dependent steatosis and oxidative injury by liquiritigenin, a licorice flavonoid, as mediated with NRF2 activation. *Antioxid Redox Signal*, 14: 733-745.

- Kiupel, M., et al. (2001). Viral Replication and Lesions in BALB/c Mice Experimentally Inoculated with Porcine CirCoVirus Isolated from a Pig with Postweaning Multisystemic Wasting Disease. *Vet. Pathol.*, 38:74–82.
- Kuzu, N., Bahcecioglu, I.H., Dagli, A.F., Ozercan, I.H., Ustundag, B., Sahin, K. (2008). Epigallocatechin gallate attenuates experimental non-alcoholic steatohepatitis induced by high fat diet. *J. Gastroenterol. Hepatol.*, 23:465–470.
- Kwok J. Cyanide poisoning and cassava. Food safety focus. (2008, 19th issue February). *Incident focus*. Diakses 09 Oktober 2020, dari <http://www.cfs.gov.hk/english/multimedia>
- Lee, E., Jeong, K.W., Shin, A., Jin, B., Jnawali, H.N., Jun, B.H., et al. (2013). Binding model for eriodictyol to Jun-N terminal kinase and its anti-inflammatory signaling pathway. *Biochem. Mol. Biol. Rep.*, 46:594-599. doi: 10.5483/BMBRep.2013.46.12.092.
- Lee, J.K. (2011). Anti-inflammatory effects of eriodictyol in lipopolysaccharide-stimulated raw 264.7 murine macrophages. *Arch. Pharm. Res.*: 34:671-679. doi: 10.1007/s12271-011-0418-3.
- Li H., Xie Y., Liu C., Liu S. (2014). Physicochemical bases for protein folding, dynamics, and protein-ligand binding. *Sci. China Life Sci* ;57:287–302. doi: 10.1007/s11427-014-4617-2.
- Li, J., Cheng, Y., Qu, W., Sun, Y., Wang, Z., Wang, H., et al. (2010). Fisetin, a dietary flavonoid, induces cell cycle arrest and apoptosis through activation of p53 and inhibition of NF-Kappa B pathways in bladder cancer cells. *Basic Clin Pharmacol Toxicol*, 108:84–93.
- Li, RW., Lin, GD., Myers, SP., Leach, DN. (2003). Anti-inflammatory activity of Chinese medicinal vine plants. *J Ethnopharmacol*, 5:61–67.
- Liu S.Q., et al. (2012). Protein folding, binding and energy landscape: A synthesis. In: Kaumaya P.T.P., editor. Protein Engineering. InTech; Rijeka, Croatia: pp. 207–252
- Li, Y.J., Chen, J., Li, Y., Li, Q., Zheng, Y.F, Fu, Y., Li, P. (2011). Screening and characterization of natural antioxidants in four Glycyrrhiza species by liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. *J Chromatogr A* 1218: 8181-8191.
- Lodish, H., et al. (2000). Molecular Cell Biology, 4th Edition, W.H. Freeman And Company, New York.

- Luo, Q.F., Sun, L., Si, J.Y., Chen, D.H., Du, G.H. (2008). Hypocholesterolemic effect of stilbene extract from *Cajanus cajan* L. On serum and hepatic lipid in diet-induced hyperlipidemic mice. *Acta Pharm Sin*, 43:145–9.
- Luo, Q.F., Sun, L., Si, J.Y., Chen, D.H. (2008). Hypocholesterolemic effect of stilbenes containing extract-fractionfrom *Cajanus cajan* L. on diet- induced hypercholesterolemia in mice. *Phytomedicine*, 15:932–9.
- Lust, S., Vanhoecke, B., Janssens, A., Philippe, J., Bracke, M., Offner, F. (2005). Xanthohumol kills B-chronic lymphocytic leukemia cells by an apoptotic mechanism. *Mol Nutr Food Res*, 49: 844-850.
- MacRaild C.A., Daranas A.H., Bronowska A., Homans S.W. (2007). Global changes in local protein dynamics reduce the entropic cost of carbohydrate binding in the arabinose-binding protein. *J. Mol. Biol* ;368:822–832. doi: 10.1016/j.jmb.2007.02.055.
- Manigandan, K., Manimaran, D., Jayaraj, R.L., Elangovan, N., Dhivya, V., and Kaphle, A. (2015). Taxifolin curbs NF-κB-mediated Wnt/β-catenin signaling via up-regulating Nrf2 pathway in experimental colon carcinogenesis. *Biochimie*, vol. 119:103–112.
- Minato, K., Miyake, Y., Fukumoto, S., Yamamoto, K., Kato, Y., Shimomura, Y., Osawa, T. (2003). Lemon flavonoid, eriocitrin, suppresses exercise-induced oxidative damage in rat liver. *Life Sci*, 72:1609–1616.
- Morris, G. M., et al. 2009. *AutoDock Version 4.2: Automated Docking of Flexible Ligands to Flexible Receptors*. La Jolla, California, U.S.A: The Scripps Research Institute.
- Moitessier, N., Englebienne, P., Lee, D., Lawandi, J., Corbeil, C. (2008). Towards the Development of Universal, Fast and Highly Accurate Docking Scoring Methods: a Long Way to Go. *British Journal of Pharmacology*. 153(1):7-26.
- Mukesh, B., & K. Rakesh. 2011. Molecular Docking: A Review. *Int J Res Ayurv Pharm.* 2 (6) : 1746-1751.
- Narvaez-Mastache, J.M., Novillo, F., Delgado, G. (2008). Antioxidant aryl-prenylcoumarin, flavan-3-ols and flavonoids from *Eysenhardtia subcoriacea*. *Phytochemistry*, 69:451–456.
- National Pharmacopoeia Committee. (2010). Pharmacopoeia of the People's Republic of China, Part I. Beijing: *China Medical Science Press*; 180.
- Nwodo, U., et al. (2011). In vivo evaluation of the antiviral activity of *Cajanus cajan* on measles virus. *Arch Virol*, 156:1551–1557 DOI 10.1007/s00705-011-1032-x.

- O'Hagan, S. and Kell, D.B. (2015). The Apparent Permeabilities of Caco-2 Cells to Marketed Drugs: Magnitude, and Independence from Both Biophysical Properties and Endogenite Similarities. *PeerJ*, e1405. doi: 10.7717/peerj.1405.
- Patil, C.S., Singh, V.P., Satyanarayan, P.S., Jain, N.K., Singh, A., Kulkarni, S.K. (2003). Protective effect of flavonoids against aging- and lipopolysaccharide-induced cognitive impairment in mice. *Pharmacology*, 69:59–67.
- Patrick, G. 2001. *Instant Notes in Medicinal Chemistry*. Oxford: BIOS Scientific Publisher.
- Pillaiyar, T., Manickam, M., Namasivayam, V. (2017). Skin whitening agents: Medicinal chemistry perspective of tyrosinase inhibitors. *J. Enzym. Inhib. Med. Chem*, 32:403–425.
- Pymol Molecular Viewer. (2009). Diunduh dari <http://pymol.org/> pada tanggal 30 Oktober 2020 pukul 08.48.
- Rafi, M., Rosen, R., Vassil, A., Ho, C., Zhang, H., Ghai, G et al. (2000). Modulation of bel-2 and cytotoxicity by licochalcone-A, a novel estrogenic flavonoid. *Anticancer Res*, 20: 2653-2658.
- Ramalingam, M., Kim, H., Lee, Y., and Lee, Y-I. (2018). Phytochemical and Pharmacological Role of Liquiritigenin and Isoliquiritigenin From Radix Glycyrrhizae in Human Health and Disease Models. *Front. Aging Neurosci*. 10:348. doi:10.3389/fnagi.2018.00348.
- Rice-Evans, C.A., Miller, N.J., George, P. (1996). Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radic. Biol. Med*, 20:933–956.
- RCSB. (2014) . *About the PDB Archive and the RCSB PDB*. Retrieved from Protein Data Bank diakses pada situs <http://www.rcsb.org/pdb/>.
- Rollando. (2017). Pengantar Kimia Medisinal. S. R. Wicaksono, Ed. Pertama. Malang-Jawa Timur: CV. Seribu Bintang.
- Schwarz, N.A., Blahnik, Z.J., Prahadeeswaran, S., McKinley-Barnard, S.K., Holden, S.L., and Waldhelm, A. (2018). (–)-Epicatechin Supplementation Inhibits Aerobic Adaptations to Cycling Exercise in Humans. *Front. Nutr*. 5:132. doi:10.3389/fnut.2018.00132.
- Shibata, S. (2000). A drug over the millennia: pharmacognosy, chemistry, and pharmacology of licorice. *Yakugaku Zasshi*, 120: 849-862.

- Sun, L., Luo, Q.F., Yang, J., Chen, D.H., Si, J.Y., Pan, R.L., et al. (2008). Application of *Cajanus cajan* L. extracts in preparing hyperlipemia medicine. CN101204418:6-25.
- Shu, X.S., Lv, J.H., Tao, J., Li, G.M., Li, H.D., Ma, N. (2009). Antihyperglycemic effects of total flavonoids from *polygonatum odoratum* in STZ and alloxan-induced diabetic rats. *J. Ethnopharmacol.*, 124:539–543.
- Stegemann, S., et al. (2007). When poor solubility becomes an issue: From early stage to proof of concept, *Eur J. Pharm Sci*, 31: 249- 261.
- Vetter J. (2000). Plant cyanogenic glycosides. *Toxicon*, 38: 11-36.
- Tay, K.C., Tan, L.T.H., Chan, C.K., Hong, S.L., Chan, K.G., Yap, W.H., et al. (2019). Formononetin: A Review of Its Anticancer Potentials and Mechanisms. *Front. Pharmacol.* 10:820. doi: 10.3389/fphar.2019.00820.
- Toda, S., Shirataki, Y. (1999). Inhibitory effects of isoflavones on lipid peroxidation by reactive oxygen species. *Phytother Res*, 13:163–5.
- Torres, P.M., Figueroa, M., Hernandez, A.O., Ibarras, B.M., Navarreta, V., Azquez, G., Estrada, S.S. (2011). Vasorelaxant effect of flavonoids through calmodulin inhibition: Ex vivo, in vitro, and in silico approaches. *Bioorg Med Chem*, 19:542–6.
- Toyama, T., Wada, T.S., Takamichi, M., Watanabe, K., Yoshida, A., Yoshino, F., et al. (2014). Reactive oxygen species scavenging activity of Jixueteng Evaluated by Electron Spin Resonance (ESR) and photon emission. *Nat Prod Commun*, 9 (12):1755–9.
- Tripoli, E., La Guardia, M., Giannanco, S., di Majo, D., Giannanco, M. (2007). Citrus flavonoids: Molecular structure, biological activity and nutritional properties: A review. *Food Chem*, 104:466–479.
- Umamaheswari, M., Madeswaran, A., and Asokkumar, K., (2013). Virtual Screening Analysis and In-vitro Xanthine Oxidase Inhibitory Activity of Some Commercially Available Flavonoids. *Iranian Journal of Pharmaceutical Research: IJPR* 12(3), 317–323.
- Veratti, E., Rossi, T., Giudice, S., Benassi, L., Bertazzoni, G., Morini, D., et al. (2011). 18 $\beta$ -Glycyrrhetic acid and glabridin prevent oxidative DNA fragmentation in UVB-irradiated human keratinocyte cultures. *Anticancer Res*, 31: 2209-2215.
- Vladimirov, Y.A., Proskurnina, E.V., Demin, E.M., et al. (2009) Dihydroquercetin (taxifolin) and other flavonoids as inhibitors of free radical formation at key stages of apoptosis. *Biochemistry (Moscow)*, vol.74, 3: 301–307, 2009.

- Venilla, S., Bupesh, G., Saravanamurali, K., Kumar, S.V., Sentilraja, R., Saran, N. (2014). In Silico of Study in Compounds Elucidated From *Helicteres Isora* Fruit with Ampiknase-Insulin Receptor. *Bioinformation*, 10 (5): 263-264.
- Weni, M., et al. (2018). Studi In Vitro dan Penambatan Molekuler Senyawa Bioaktif Ekstrak dan Fraksi Daun Sirih Merah (*Piper crocatum*) sebagai Inhibitor  $\alpha$ -Glukosidase (laporan penelitian). Bogor(ID): IPB.
- Wulandari, Evi Kristin. (2010). Karya Pascasarjana Kimia : Analisis Interaksi Histone Deacetylase (HDAC) Kelas II Homo Sapiens Dengan Suberoyllanilide Hydroxamic Acids (SAHA) dan Trichostatin A (TSA). Depok: Departemen Kimia FMIPA UI.
- WHO. (2020). *Coronavirus disease COVID-2019 Report*. World Health Organization.
- Willfor, S., Ali, M., Karonen, M., Reunanen, M., Arfan, M., and Harlamow, R. (2009). Extractives in bark of different conifer species growing in Pakistan. *Holzforschung*, vol. 63, 5:551–558.
- Wink, M., & Mohamed, G. (2003). Evolution of chemical defense traits in the Leguminosae: mapping of distribution patterns of secondary metabolites on a molecular phylogeny inferred from nucleotide sequences of the rbcL gene [J]. *Biochem Syst Ecol*, 31(8): 897-917.
- Yang, E.J, Min, J.S., Ku, H.Y., Choi, H.S., Park, M.K., Kim, M.K, Song, K.S., Lee, D.S. (2012). Isoliquiritigenin isolated from *Glycyrrhiza uralensis* protects neuronal cells against glutamate-induced mitochondrial dysfunction. *Biochem Biophys Res Commun*, 421: 658-664.
- Yo, Y.T., Shieh, G.S., Hsu, K.F., Wu, C.L., Shiau, A.L. (2009). Licorice and licochalcone-A induce autophagy in LNCaP prostate cancer cells by suppression of BCL-2 expression and the mTOR pathway. *J Agric Food Chem*, 57: 8266-8273.
- Zhang, L., et al. (2013). Anti-fungal and anti-bacterial activities of ethanol extracts of selected traditional Chinese medicinal herbs. *Asian Pac. J. Trop. Med.* 6, 673–681.
- Zhang, R., Chae, S., Kang, K.A., Piao, M.J., Ko, D.O., Wang, Z.H., Park, D.B., Park, J.W., You, H.J., Hyun, J.W. (2008). Protective effect of butin against hydrogen peroxide-induced apoptosis by scavenging reactive oxygen species and activating antioxidant enzymes. *Mol. Cell. Biochem*, 318:33–42.
- Zhang, X., Hung, T.M., Phuong, P.T., Ngoc, T.M., Min, B.S., Song, K.S., Seong, Y.H., Bae, K. (2006). Anti-inflammatory activity of flavonoids from *populus davidiana*. *Arch. Pharm. Res*, 29:1102–1108.

- Zhang, Y., Guo, L., Duan, L., Dong, X., Zhou, P., Liu, E.H, et al. (2015). Simultaneous determination of 16 phenolic constituents in Spatholobi Caulis by high performance liquid chromatography/electrospray ionization triple quadrupole mass spectrometry. *J Pharm Biomed Anal*, 102:110–8.
- Zhang, Z.R., al Zaharna, M., Wong, M.-K., Chiu, S.-K., and Cheung, H-Y. (2013). Taxifolin enhances andrographolide-induced mitotic arrest and apoptosis in human prostate cancer cells via spindle assembly checkpoint activation. *PLoS One*, vol. 8, 1:54577.
- Zheng, Y.Y., Yang, J., Chen, D.H., Sun, L. (2007). Effects of the extracts of Cajanus cajan L. On cell functions in human osteoblast-like TE85 cells and the derivation of osteoclast-like cells. *Acta PharmSin*, 42:386–91.
- Zheng, Y.Y., Yang, J., Chen, D.H., Sun, L. (2007). Effects of the stilbene extracts from Cajanus cajan L. On ovariectomy-induced bone loss in rats. *Acta PharmSin*, 42:562–5.