

DAFTAR PUSTAKA

- Abiyoga, A. (2017). *Faktor-faktor Yang Berhubungan Dengan Kejadian Gout Pada Lansia Di Wilayah Kerja Puskesmas Situraja Tahun 2014*. *Jurnal Darul Azhar*, 2(1), 47–56. <https://jurnal-kesehatan.id/index.php/JDAB/article/view/24>
- Assosiation, A. P. (2011). *Drug Information Handbook* (20 ed.). Lexicomp.
- Bardin, T., & Richette, P. (2014). *Definition of hyperuricemia and gouty conditions*. *Current Opinion in Rheumatology*, 26(2), 186–191. <https://doi.org/10.1097/BOR.0000000000000028>
- Busso, N., & So, A. (2010). *Mechanisms of inflammation in gout*. *Arthritis Research and Therapy*, 12(2). <https://doi.org/10.1186/ar2952>
- Cattermole, G. N., Man, C. Y., Cheng, C. H., Graham, C. A., & Rainer, T. H. (2009). *Oral prednisolone is more cost-effective than oral indomethacin for treating patients with acute gout-like arthritis*. *European Journal of Emergency Medicine*, 16(5), 261–266. <https://doi.org/10.1097/MEJ.0b013e32832a083f>
- Defronzo, A., R. T., & O., S. (1980). *Pathophysiologic Approach to Hyponatremia*. In *Archives of Internal Medicine* (Vol. 140, Nomor 7). <https://doi.org/10.1001/archinte.1980.00040020897004>
- Departemen. (2007). *FARMAKOLOGI DAN TERAPI Edisi 5 (cetak ulang dengan perbaikan, 2008) Oleh DEPARTEMEN FARMAKOLOGI DAN TERAPEUTIK FAKULTAS KEDOKTERAN UNIVERSITAS INDONESIA 2007 (5 ed.)*. DEPARTEMEN FARMAKOLOGI DAN TERAPEUTIK FAKULTAS KEDOKTERAN UNIVERSITAS INDONESIA.
- Diantari, E., & Kusumastuti, A. C. (2013). *Pengaruh Asupan Purin Dan Cairan Terhadap Kadar Asam Urat Wanita Usia 50-60 Tahun Di Kecamatan Gajah Mungkur, Semarang*. *Journal of Nutrition College*, 2(1), 44–49. <https://doi.org/10.14710/jnc.v2i1.2095>
- Dipiro, J. T., Talbert, R. L., Yee, G. C., Matzke, G. R., Wells, B. G., & Posey, L. M. (2016). *Pharmacotherapy a Patophysiologic Approach*. In *Mc Graw Hill Education*.
- Indonesian Rheumatology Association. (2014). *Penggunaan Obat Anti Inflamasi Non Steroid*. i–16.
- Jaliana, Suhadi, & Sety, L. O. M. (2018). *faktor-faktor yang berhubungan dengan kejadian asam urat pada usia 20-44 tahun di RSUD Batheramas provinsi sulawesi tenggara tahun 2017*. *Jimkesmas*, 3(2), 1–13. <http://ojs.uho.ac.id/index.php/JIMKESMAS/article/download/3925/3003>
- Li, T., Chen, S. Le, Dai, Q., Han, X. H., Li, Z. G., Wu, D. H., Zhang, X., Gu, J. R., Yang, N. P., Sun, L. Y., Zhang, M. J., Li, X. F., & Bao, C. De. (2013). *Etoricoxib versus indometacin in the treatment of Chinese patients with acute gouty arthritis: A randomized double-blind trial*. *Chinese Medical Journal*,

- 126(10), 1867–1871. <https://doi.org/10.3760/cma.j.issn.0366-6999.20122892>
- Lin, T. M., Chi, J. E., Chang, C. C., & Kang, Y. N. (2019). *Do etoricoxib and indometacin have similar effects and safety for gouty arthritis? A meta-analysis of randomized controlled trials. Journal of Pain Research*, 12, 83–91. <https://doi.org/10.2147/JPR.S186004>
- Man, C. Y., Cheung, I. T. F., Cameron, P. A., & Rainer, T. H. (2007). *Comparison of Oral Prednisolone/Paracetamol and Oral Indomethacin/Paracetamol Combination Therapy in the Treatment of Acute Goutlike Arthritis: A Double-Blind, Randomized, Controlled Trial. Annals of Emergency Medicine*, 49(5), 670–677. <https://doi.org/10.1016/j.annemergmed.2006.11.014>
- Manoppo, M. T. L., Ratag, B. T., & Mantjoro, E. M. (2019). *Hubungan Antara Konsumsi Purin Riwayat Keluarga Dan Jenis Kelamin Dengan Kejadian Hiperurisemia Pada Lansia Di Kelurahan Malalayang I Timur. Jurnal KESMAS*, 8(7), 121–126.
- Mardalis. (1999). *Metode Penelitian Suatu Pendekatan Proposal*. Bumi Aksara.
- PubChem. (2020). 11/11/2020 Indomethacin | C₁₉H₁₆ClNO₄ - PubChem. PubChem. <https://doi.org/10.5517/cc6rylg>
- Rainer, T. H., Cheng, C. H., Janssens, H. J. E. M., Man, C. Y., Tam, L. S., Choi, Y. F., Yau, W. H., Lee, K. H., & Graham, C. A. (2016). *Oral prednisolone in the treatment of acute gout: A pragmatic, multicenter, double-blind, randomized trial. Annals of Internal Medicine*, 164(7), 464–471. <https://doi.org/10.7326/M14-2070>
- Republik, D. K. (2020). *Farmakope Indonesia Edisi VI (VI)*. Kementerian Kesehatan Republik Indonesia.
- Rubin, B. R., Burton, R., Navarra, S., Antigua, J., Londoño, J., Pryhuber, K. G., Lund, M., Chen, E., Najarian, D. K., Petruschke, R. A., Ozturk, Z. E., & Geba, G. P. (2004). *Efficacy and Safety Profile of Treatment with Etoricoxib 120 mg Once Daily Compared with Indomethacin 50 mg Three Times Daily in Acute Gout: A Randomized Controlled Trial. Arthritis and Rheumatism*, 50(2), 598–606. <https://doi.org/10.1002/art.20007>
- Schumacher, H. R., Boice, J. A., Daikh, D. I., Mukhopadhyay, S., Malmstrom, K., Ng, J., Tate, G. A., & Molina, J. (2002). *Randomised double blind trial of etoricoxib and indometacin in treatment of acute gouty arthritis. British Medical Journal*, 324(7352), 1488–1492. <https://doi.org/10.1136/bmj.324.7352.1488>
- Sukandar, E. Y., Andrajati, R., Sigit, J. I., Adnyana, I. K., Setiadi, A. P., & Kusnandar. (2008). *ISO Farmakoterapi Buku 1*. PT. ISFI Penerbitan.
- Sumariyono, & Alwi, I. (2018). *Pedoman Diagnosis dan Pengelolaan Gout. In Penghimpunan Rheumatologi Indonesia*. Perhimpunan Reumatologi Indonesia.
- Syarifah, A. (2018). *Hubungan Pengetahuan dan Budaya dengan Kadar Asam Urat*

- pada Lansia. *Jurnal Ilmiah Permas : Jurnal Ilmiah Stikes Kendal*, 8(2), 92–98.
- Talarima, B., Amiruddin, R., Arsin, A. A., Epidemiologi, K., Sarjana, P. P., & Hasanuddin, U. (2012). *Faktor Risiko “ Gouty Arthritis ” Di Kota Masohi Kabupaten Maluku Tengah Tahun 2010*. *Jurnal Kesehatan Makara*, 16(2), 89–94.
- Tjay, D. T. H., & Rahardja, D. K. (2015). *OBAT-OBAT PENTING* (7 ed.). PT. Alex Media Komputindo.
- Untari, I., S. Sarifah, & Sulastri. (2017). *Hubungan antara Penyakit Gout dengan Jenis Kelamin dan Umur pada Lansia*. *Jurnal MIPA dan Kesehatan*, 267–272. <http://journal.ummgl.ac.id/index.php/urecol/article/view/1188>. diakses pada tanggal 8 Februari 2021.
- Wahyu Widyanto, F. (2017). *Artritis Gout Dan Perkembangannya*. *Saintika Medika*, 10(2), 145. <https://doi.org/10.22219/sm.v10i2.4182>
- Walker, C. (2018). *Are All Oral COX-2 Selective Inhibitors the Same? A Consideration of Celecoxib, Etoricoxib, and Diclofenac*. *International Journal of Rheumatology*, 2018. <https://doi.org/10.1155/2018/1302835>
- Wells, B. G., Dipiro, J. T., Schwinghammer, T. L., & Dipiro, C. V. (2010). *Pharmacotherapy Handbook 9th Edition*. In *Mc Graw Hill Education*. <https://doi.org/10.2514/6.2010-8193>
- Willburger, R. E., Mysler, E., Derbot, J., Jung, T., Thurston, H., Kreiss, A., Litschig, S., Krammer, G., & Tate, G. A. (2007). *Lumiracoxib 400 mg once daily is comparable to indomethacin 50 mg three times daily for the treatment of acute flares of gout*. *Rheumatology*, 46(7), 1126–1132. <https://doi.org/10.1093/rheumatology/kem090>
- Xu, L., Liu, S., Guan, M., & Xue, Y. (2016). *Comparison of prednisolone, etoricoxib, and indomethacin in treatment of acute gouty arthritis: An open-label, randomized, controlled trial*. *Medical Science Monitor*, 22, 810–817. <https://doi.org/10.12659/MSM.895749>
- Yu, J., Lu, H., Zhou, J., Xie, Z., Wen, C., & Xu, Z. (2018). *Oral prednisolone versus non-steroidal anti-inflammatory drugs in the treatment of acute gout: a meta-analysis of randomized controlled trials*. *Inflammopharmacology*, 26(3), 717–723. <https://doi.org/10.1007/s10787-018-0442-8>
- Zed, M. (2004). *Metode Penelitian Kepustakaan*. Yayasan Obor Indonesia.