

DAFTAR PUSTAKA

- Abdillah, M. N., Ilmah, N. R., & Mahardhika, A. B. (2017). Penambatan Molekuler Senyawa Polifenolat Terhadap Enzim Reverse Transcriptase Sebagai Senyawa Antiretroviral (HIV-1). *JSTFI Indonesian Journal of Pharmaceutical Science and Technology*, 6(1), 36–44.
- Abdillah, M. N., Ilmah, N. R., & Mahardhika, A. B. (2017). Penambatan Molekuler Senyawa Polifenolat Terhadap Enzim Reverse Transcriptase Sebagai Senyawa Antiretroviral (HIV-1). *JSTFI Indonesian Journal of Pharmaceutical Science and Technology*, 6(1), 36–44.
- Accelrys. (2007). *Practice and Products BT - Chemoinformatics: Theory, Practice, & Products* (B. A. Bunin, B. Siesel, G. A. Morales, & J. Bajorath (eds.); pp. 51–269). Springer Netherlands. https://doi.org/10.1007/1-4020-5001-1_2
- Ahmad, H., Sehgal, S., Mishra, A., & Gupta, R. (2012). *Mimosa pudica* L. (Laajvanti): An overview. *Pharmacognosy Reviews*, 6(12), 115–124. <https://doi.org/10.4103/0973-7847.99945>
- Ahsana, D., Nashihah, S., & Andika. (2021). Molecular Docking Study of Flavonoid Compounds in The Guava Leaves (*Psidium guajava* L) Which Has Potential as Anti-Inflammatory COX-2 Inhibitors. *Jurnal Ilmu Kefarmasian*, 2(2), 67–79.
- Ahuchaogu, A. A., Chukwu, O. J., Obike, A. I., Bull, J., & Echeme, O. (2017). Quantitative Determination of Secondary Metabolites and Antibacterial Activity of *Mimosa pudica*. *International Journal of Medicinal Plants and Natural Products*, 3(2), 1–5. <https://doi.org/10.20431/2454-7999.0302001>
- Alfaridz, F., & Amalia, R. (2018). Klasifikasi dan Aktivitas Farmakologi dari Senyawa Aktif Flavonoid. *Farmaka*, 16(3), 1–9.
- Anggraito, Y. U., Susanti, R., Iswari, R. S., Yuniastuti, A., Lisdiana, WH, N., Habibah, N. A., & Bintari, S. H. (2018). Metabolit Sekunder Dari Tanaman. In *Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Negeri Semarang*.
- Atilgan, E., & Hu, J. (2011). Improving Protein Docking Using Sustainable Genetic Algorithms. *International Journal of Computer Information Systems and Industrial Management Applications*, 3, 248–255.
- B-Rao, C., Kulkarni-Almeida, A., Katkar, K. V., Khanna, S., Ghosh, U., Keche, A., Shah, P., Srivastava, A., Korde, V., Nemmani, K. V. S., Deshmukh, N. J., Dixit, A., Brahma, M. K., Bahirat, U., Doshi, L., Sharma, R., & Sivaramakrishnan, H. (2012). Identification of novel isocytosine derivatives as xanthine oxidase inhibitors from a set of virtual screening hits. *Bioorganic and Medicinal Chemistry*, 20(9), 2930–2939. <https://doi.org/10.1016/J.BMC.2012.03.019>

- Bachtiar, K. R., Susanti, S., Mardianingrum, R., & Tasikmalaya, U. P. (2021). Uji Aktivitas Antiinflamasi Senyawa dalam Minyak Atsiri Rimpang bangle (*Zingiber purpureum* Roxb) Secara *In Silico*. *Journal of Pharmacopolium*, 4(1), 36–43.
- Balakumar, P., Sharma, R., Kalia, N. A., & Singh, M. (2009). Hyperuricemia: Is it a Risk Factor for Vascular Endothelial Dysfunction and Associated Cardiovascular Disorders? In *Current Hypertension Reviews* (Vol. 5, Issue 1, pp. 1–6).
- Barus, B. R. (2020). Efektivitas Ekstrak Etanol Daun Efektivitas Ekstrak Etanol Daun Sidaguri (*Sida rhombifolia* L.) Terhadap Penurunan Kadar Asam Urat Pada Tikus Jantan Galur Wistar Hiperurisemia. *Jurnal Penelitian Farmasi & Herbal*, 3(1), 29–37.
- Becker, M. A., Schumacher, H. R., Espinoza, L. R., Wells, A. F., MacDonald, P., Lloyd, E., & Lademacher, C. (2010). The urate-lowering efficacy and safety of febuxostat in the treatment of the hyperuricemia of gout: the CONFIRMS trial. *Arthritis Research & Therapy*, 12(2), R63.
- Berryman, L. Y. (2000). Pharmacotherapy Handbook. 2nd Edition. In *The Annals of Pharmacotherapy* (Vol. 34, Issue 12).
- Bonakdaran, S., Hami, M., & Shakeri, M. T. (2011). Hyperuricemia and albuminuria in patients with type 2 diabetes mellitus. *Iranian Journal of Kidney Diseases*, 5(1), 21–24.
- Burns, C. M., & Wortmann, R. L. (2014). Disorders of Purine and Pyrimidine Metabolism. In D. Kasper, A. Fauci, S. Hauser, D. Longo, J. L. Jameson, & J. Loscalzo (Eds.), *Harrison's Principles of Internal Medicine*, 19e. McGraw-Hill Education.
- Cao, H., Hall, J., & Hille, R. (2014). Substrate orientation and specificity in xanthine oxidase: Crystal structures of the enzyme in complex with indole-3-acetaldehyde and guanine. *Biochemistry*, 53(3), 533–541. 5u
- Chairunnisa, A., & Runadi, D. (2016). Aktivitas kalkon terhadap reseptor estrogen β (ER β) sebagai antikanker payudara secara in vitro dan in silico: review. *Farmaka*, 14(2), 1–15.
- Chen, G. L., Wei, W., & Xu, S. Y. (2006). Effect and mechanism of Total Saponin of Dioscorea on animal experimental hyperuricemia. *American Journal of Chinese Medicine*, 34(1), 77–85. 5
- Choi, H. K., Mount, D. B., & Reginato, A. M. (2005). Pathogenesis of gout. *Annals of Internal Medicine*, 143(7), 499–516.
- Cos, P., Ying, L., Calomme, M., Hu, J. P., Cimanga, K., Van Poel, B., Pieters, L., Vlietinck, A. J., & Berghe, D. Vanden. (1998). Structure–Activity Relationship and Classification of Flavonoids as Inhibitors of Xanthine Oxidase and Superoxide Scavengers. *Journal of Natural Products*, 61(1).

- Dalimartha, S. (2000). *Atlas tumbuhan obat Indonesia* (Issue v. 2). Trubus Agriwidya.
- Daly, J., Esther, C., & Elliott, D. (2009). *Patofisiologi : aplikasi pada praktik keperawatan* (D. Yulianti, S. Isneini, & A. Hartono (eds.)). EGC.
- Devlin, T. (2007). *Textbook of Biochemistry with Clinical Corelation* (3th ed). Willey Publication.
- Dianati, N. A. (2015). Gout and hyperuricemia. *J MAJORITY*, 4(3), 82–89.
- Dincer, H. E., Dincer, A. P., & Levinson, D. J. (2002). Asymptomatic hyperuricemia: to treat or not to treat. *Cleveland Clinic Journal of Medicine*, 69(8), 594, 597, 600-2 passim.
- DiPiro, J. T., Talbert, R. L., Yee, G. C., Matzke, G. R., Wells, B. G., & Posey, L. M. (2017). *Pharmacotherapy: A Pathophysiologic Approach*, 10e. McGraw-Hill Education.
- Duyu, T., Khanal, P., Khatib, N. A., & Patil, B. M. (2020). *Mimosa pudica* modulates neuroactive ligand-receptor interaction in parkinson's disease. *Indian Journal of Pharmaceutical Education and Research*, 54(3), 732–739.
- Ekins, S., Mestres, J., & Testa, B. (2007). In silico pharmacology for drug discovery: methods for virtual ligand screening and profiling. *British Journal of Pharmacology*, 152(1), 9–20.
- Fakhruri, M., Rahmayanti, Y., & Isfanda. (2021). Potensi Fitokimia *Citrus aurantium* (Hesperetin, Naringenin) Dalam Menghambat Xantin Oksidase Pada Hiperurisemia Secara *in Silico*. *Jurnal Health Sains*, 2(1), 79–89.
- Faridah, F., Mumpuni, E., & Yunanto, Y. I. (2019). In-silico Analysis of Chemical Compounds in Green Tea Working on Activators PPAR- γ as Antiobesity. *Jurnal Ilmu Kefarmasian Indonesia*, 17(2), 251.
- Feig, D. I., Soletsky, B., & Johnson, R. J. (2008). Effect of allopurinol on blood pressure of adolescents with newly diagnosed essential hypertension: a randomized trial. *JAMA*, 300(8), 924–932.
- Ferreira De Freitas, R., & Schapira, M. (2017). A systematic analysis of atomic protein-ligand interactions in the PDB. *MedChemComm*, 8(10), 1970–1981.
- Fred Peter, G. (2008). Cytochrome p450 and chemical toxicology. *Chemical Research in Toxicology*, 21(1), 70–83.
- Fuhrmann, J., Rurainski, A., Lenhof, H.-P., & Neumann, D. (2010). A new Lamarckian genetic algorithm for flexible ligand-receptor docking. *Journal of Computational Chemistry*, 31(9), 1911–1918.
- Geldenhuys, W. J., Gaasch, K. E., Watson, M., Allen, D. D., & Van der Schyf, C. J. (2006). Optimizing the use of open-source software applications in drug discovery. *Drug Discovery Today*, 11(3–4), 127–132.

- Genest, S., Kerr, C., Shah, A., Rahman, M. M., Saif-E-Naser, G. M. M., Nigam, P., Nahar, L., & Sarker, S. D. (2008). Comparative bioactivity studies on two *Mimosa* species. *Boletín Latinoamericano y Del Caribe de Plantas Medicinales y Aromaticas*, 7(1), 38–43.
- George, C., & Minter, D. A. (2021). *Hyperuricemia*. StatPearls Publishing.
- Goicoechea, M., de Vinuesa, S. G., Verdalles, U., Ruiz-Caro, C., Ampuero, J., Rincón, A., Arroyo, D., & Luño, J. (2010). Effect of allopurinol in chronic kidney disease progression and cardiovascular risk. *Clinical Journal of the American Society of Nephrology: CJASN*, 5(8), 1388–1393.
- Gomella Haist, Steven A., University of Kentucky., College of Medicine., L. G. (2007). *Clinician's pocket reference*. McGraw-Hill Companies, Inc.
- Gustafsson, D., & Unwin, R. (2013). The pathophysiology of hyperuricaemia and its possible relationship to cardiovascular disease, morbidity and mortality. *BMC Nephrology*, 14(1), 1–9.
- Han, Q. X., Zhang, D., Zhao, Y. L., Liu, L., Li, J., Zhang, F., Luan, F. X., Liu, D. W., Liu, Z. S., Cai, G. Y., Chen, X. M., & Zhu, H. Y. (2019). Risk factors for hyperuricemia in Chinese centenarians and near-centenarians. *Clinical Interventions in Aging*, 14, 2239–2247.
- Hendriani, R., Nursamsiar, N., & Tjitraresmi, A. (2017). In Vitro And In Silico Evaluation Of Xanthine Oxidase Inhibitory Activity Of Quercetin Contained In *Sonchus arvensis* Leaf Extract. *Asian Journal of Pharmaceutical and Clinical Research*, 50–53.
- Holm, L., Plucknett, D., Pancho, J., & Herberger, J. (1977). *The world's worst weeds. Distribution and biology*. University Press of Hawaii.
- Islam, A., Kabir, M. S. H., Dash, R., Emran, T. Bin, Zia Uddin, M., Nesa, K., Uddin, M. M. N., & Ahsan, M. T. (2015). Virtual screening for potential COX-inhibiting constituents from *Mimosa pudica*. *Journal of Applied Pharmaceutical Science*, 5(7), 71–75.
- ITIS. (2021). *Mimosa pudica* L. Integrated Taxonomic Information System. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=26790&print_version=SCR&source=from_print#null
- Itoh, Y., Nakashima, Y., Tsukamoto, S., Kurohara, T., Suzuki, M., Sakae, Y., Oda, M., Okamoto, Y., & Suzuki, T. (2019). N⁺-C-H···O Hydrogen bonds in protein-ligand complexes. *Scientific Reports*, 9(1), 767.
- Jannah, N. (2020). Study In Silico Of Hexsagamavunon-6 Analogue As An Anti-Helicobacter Pylori. *Indonesian Journal of Pharmacy and Natural Product*, 03(02), 33–40.
- Jász, Á., Rák, Á., & Cserey, G. (2017). Energy calculation of MMFF94 force field on GPU (Special session on array computing systems and applications). 2017

European Conference on Circuit Theory and Design (ECCTD), 1–4.

- Julianto, T. S. (2019). Fitokimia Tinjauan Metabolit Sekunder dan Skrining Fitokimia. In *Journal of Chemical Information and Modeling* (Vol. 53, Issue 9).
- Kambayana, G. (2019). Penatalaksanaan Komprehensif Gout. *Kumpulan Naskah Pertemuan Ilmiah Nasional PAPDI 2019*, 499.
- Kertia, N. (2009). *Asam Urat Benarkah hanya Menyerang Laki-Laki*. Pete Bentang Pustaka.
- Khaerunnisa, S., & Awaluddin, R. (2020). *Penelitian in Silico untuk pemula*. Airlangga University Press.
- Khanna, D., Fitzgerald, J. D., Khanna, P. P., Bae, S., Singh, M. K., Neogi, T., Pillinger, M. H., Merrill, J., Lee, S., Prakash, S., Kaldas, M., Gogia, M., Perez-Ruiz, F., Taylor, W., Lioté, F., Choi, H., Singh, J. A., Dalbeth, N., Kaplan, S., ... Rheumatology, A. C. of. (2012). 2012 American College of Rheumatology guidelines for management of gout. Part 1: systematic nonpharmacologic and pharmacologic therapeutic approaches to hyperuricemia. *Arthritis Care & Research*, 64(10), 1431–1446.
- Knapsack. 2021. *Mimosa pudica*. Nara Institute Of Science And Technology.
- Koka, R. M., Huang, E., & Lieske, J. C. (2000). Adhesion of uric acid crystals to the surface of renal epithelial cells. *American Journal of Physiology - Renal Physiology*, 278(6 47-6), 989–998.
- Kolbe, K., Schönherr, R., Gessner, G., Sahoo, N., Hoshi, T., & Heinemann, S. H. (2010). Cysteine 723 in the C-linker segment confers oxidative inhibition of hERG1 potassium channels. *The Journal of Physiology*, 588(16), 2999–3009.
- Kostić, D. A., Dimitrijević, D. S., Stojanović, G. S., Palić, I. R., Dordević, A. S., & Ickovski, J. D. (2015). Xanthine oxidase: Isolation, assays of activity, and inhibition. *Journal of Chemistry*, 2015. 8
- Krihariyani, D., Haryanto, E., Sasongkowati, R., & Woelansari, E. D. (2019). Studi Insilico Aktivitas Antioksidan dan ADMET Brazilein Kayu Secang (*Caesalpinia sappan* L.) terhadap *Escherichia Coli* Extended Spectrum Beta-Lactamase (ESBL). *Prosiding Seminar Nasional Kesehatan, Poltekkes Kemenkes Surabaya*, 251–257.
- Kumar, D., Kaur, G., Negi, A., Kumar, S., Singh, S., & Kumar, R. (2014). Synthesis and xanthine oxidase inhibitory activity of 5,6-dihydropyrazolo/pyrazolo[1,5-c]quinazoline derivatives. *Bioorganic Chemistry*, 57, 57–64.
- Kumar, S., & Kumar, S. (2019). *Molecular Docking: A Structure-Based Approach for Drug Repurposing* (K. B. T.-I. S. D. D. Roy (ed.); pp. 161–189). Academic Press.
- Laskowski, R. A., & Swindells, M. B. (2011). LigPlot+: Multiple Ligand–Protein

- Interaction Diagrams for Drug Discovery. *Journal of Chemical Information and Modeling*, 51(10), 2778–2786.
- Lelita, R., Gunawan, R., & Astuti, W. (2017). Studi Docking Molekular Senyawa Kuersetin , Kalkon Dan Turunannya Sebagai Inhibitor Sel Kanker Payudara Mc-7 (Michigan Cancer Molecular Docking Studies Quercetin , Chalcone and Its Derivate Inhibitor To Breast Cancer Cells Mcf-7 (Michigan Cancer Foundat. *Jurnal Atomik*, 7, 190–196.
- Li, L., Yang, C., Zhao, Y., Zeng, X., Liu, F., & Fu, P. (2014). Is hyperuricemia an independent risk factor for new-onset chronic kidney disease?: a systematic review and meta-analysis based on observational cohort studies. *BMC Nephrology*, 15(1), 122.]
- Lin, C.-M., Chen, C.-S., Chen, C.-T., Liang, Y.-C., & Lin, J.-K. (2002). Molecular modeling of flavonoids that inhibits xanthine oxidase. *Biochemical and Biophysical Research Communications*, 294(1), 167–172. [https://doi.org/10.1016/S0006-291X\(02\)00442-4](https://doi.org/10.1016/S0006-291X(02)00442-4)
- Lipinski, C. A. (2004). Lead- and drug-like compounds: The rule-of-five revolution. *Drug Discovery Today: Technologies*, 1(4), 337–341. <https://doi.org/10.1016/j.ddtec.2004.11.007>
- Lipinski, C. A., Lombardo, F., Dominy, B. W., & Feeney, P. J. (2001). Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Advanced Drug Delivery Reviews*, 64(SUPPL.), 4–17.
- Lodish, H. F., Lodish, B., Darnell, J. E., Zipursky, S. L., Baltimore, D., & Matsudaira, P. (2000). *Molecular Cell Biology* (4 (ed.)). W.H. Freeman.
- Lohr, J. W. (2020). Hyperuricemia. *Medscape*. <https://emedicine.medscape.com/article/241767-overview#a1>
- Lombardo, F., & Jing, Y. (2016). In Silico Prediction of Volume of Distribution in Humans. Extensive Data Set and the Exploration of Linear and Nonlinear Methods Coupled with Molecular Interaction Fields Descriptors. *Journal of Chemical Information and Modeling*, 56(10), 2042–2052.
- MacLeod, J. M., & Rosei, F. (2011). *Directed Assembly of Nanostructures*. 13–68.
- Madhavi Sastry, G., Adzhigirey, M., Day, T., Annabhimoju, R., & Sherman, W. (2013). Protein and ligand preparation: Parameters, protocols, and influence on virtual screening enrichments. *Journal of Computer-Aided Molecular Design*, 27(3), 221–234.
- Makatita, F. A., Wardhani, R., & Nuraini. (2020). Riset *in Silico* Dalam Pengembangan Sains Di Bidang Pendidikan, Studi Kasus: Analisis Potensi Cendana Sebagai Agen Anti-Aging. *Jurnal ABDI*, 2(1), 33–39.
- Manampiring, A. E. (2013). Hiperurisemia Dan Respons Imun. *Jurnal Biomedik*

- (Jbm), 3(2). <https://doi.org/10.35790/jbm.3.2.2011.865>
- Mandell, B. F. (2002). Hyperuricemia and gout : Is Intracellular Urate. *Cleveland Clinic Journal of Medicine*, August.
- Mansjoer, A. (2008). *Kapita Selekt Kedokteran Jilid 1* (3rd ed.). EGC.
- Marks, D. B. (2000). *Biokimia Kedokteran Dasar; Sebuah Pendekatan Klinis*. EGC.
- Mena-Sánchez, G., Babio, N., Becerra-Tomás, N., Martínez-González, M., Díaz-López, A., Corella, D., Zomeño, M. D., Romaguera, D., Vioque, J., Alonso-Gómez, Á. M., Wärnberg, J., Martínez, J. A., Serra-Majem, L., Estruch, R., Bernal, R., Lapetra, J., Pintó, X., Tur, J. A., Lopez-Miranda, J., ... Salas-Salvadó, J. (2020). Association between dairy product consumption and hyperuricemia in an elderly population with metabolic syndrome. *Nutrition, Metabolism and Cardiovascular Diseases*, 30(2), 214–222.
- Misnadiarly. (2007). *Rematik: Asam Urat, Hiperurisemia, Arthritis Gout*. Yayasan Pustaka Obor Indonesia.
- MOHAMED, D., & AL-OKBI, S. (2008). Evaluation of Anti-Gout Activity of Some Plant Food Extracts. *Polish Journal of Food and Nutrition Sciences*, 58(3), 389–395.
- Mohos, V., Fliszár-Nyúl, E., & Poór, M. (2020). Inhibition of xanthine oxidase-Catalyzed Xanthine And 6-Mercaptopurine Oxidation By Flavonoid Aglycones and some of their conjugates. *International Journal of Molecular Sciences*, 21(9).
- Morris, G. M., Ruth, H., Lindstrom, W., Sanner, M. F., Belew, R. K., Goodsell, D. S., & Olson, A. J. (2009). Software news and updates AutoDock4 and AutoDockTools4: Automated docking with selective receptor flexibility. *Journal of Computational Chemistry*, 30(16), 2785–2791.
- Murray. (2003). *Harpers Biochemistry* (26nd ed). Prectice Hall International Inc.
- Muthiarani, R. (2015). *Uji Aktivitas Tablet Ekstrak Putri Malu (Mimosa Pudica L.) Terhadap Penghambatan Pembentukan Asam Urat Secara In Vitro*. <http://repository.unpad.ac.id/frontdoor/index/index/docId/37994>
- Muttaqin, F. Z. (2019). Molecular Docking and Molecular Dynamic Studies of Stilbene Derivative Compounds As Sirtuin-3 (Sirt3) Histone Deacetylase Inhibitor on Melanoma Skin Cancer and Their Toxicities Prediction. *Journal of Pharmacopolium*, 2(2), 112–121.
- Nasrul, E., & Sofitri, S. (2012). Hiperurisemia pada Pra Diabetes. *Jurnal Kesehatan Andalas*, 1(2), 86–91.
- Neng Lilis Nur Hasanah, R. Anita Indriyanti, Y. A. (2016). Perbandingan Pemberian Allopurinol Dan Air Jeruk Nipis (*Citrus aurantifolia*) Terhadap Kadar Asam Urat Pada Mencit Hiperurisemia. *Prosiding Pendidikan Dokter*,

49–55.

- Ningrum, R., Purwanti, E., & Sukarsono. (2016). Identifikasi Senyawa Alkaloid dari Batang Karamunting (*Rhodomyrtus tomentosa*) Sebagai Bahan Ajar. *Jurnal Pendidikan Biologi Indonesia*, 2(3), 231–236. /
- Ningtiyas, I. F., & Ramadhian, M. R. (2016). Efektivitas Ekstrak Daun Salam untuk Menurunkan Kadar Asam Urat pada Penderita Arthritis Gout. *Medical Journal of Lampung University*, 5(3), 105–110.
- NOVIYANTI, & Ola. (2015). *Hidup sehat tanpa asam urat*. Yogyakarta: Notebook.
- Nusantoro, Y. R., & Fadlan, A. (2020). Analisis Sifat Mirip Obat, Prediksi ADMET, dan Penambatan Molekular Isatinil-2-Aminobenzoilhidrazon dan kompleks logam transisi Co(II), Ni(II), Cu(II), Zn(II) Terhadap BCL2-XL. *Akta Kimia Indonesia*, 5(2), 114.
- Pal, Prosanta ; Datta, Supriya; Basnett, H., Mohanty, S. B., & Priya, J. (2015). Phytochemical Analysis of the Whole Plant of *Mimosa pudica* (Linn.). *United Journal of Pharmaceutical Sciences and Research*, 1(1), 1–9.
- Pan, Y., Lu, Z., Li, C., Qi, R., Chang, H., Han, L., & Han, W. (2021). Molecular Dockings and Molecular Dynamics Simulations Reveal the Potency of Different Inhibitors against Xanthine Oxidase. *ACS Omega*, 6(17), 11639–
- Parmar, F., Kushawaha, N., Highland, H., & George, L. B. (2015). In vitro antioxidant and anticancer activity of *Mimosa pudica* linn extract and L-Mimosine on lymphoma daudi cells. *International Journal of Pharmacy and Pharmaceutical Sciences*, 7(12), 100–104.
- Parsons, W. T., & Cuthbertson, E. G. (1992). *Noxious weeds of Australia*. Inkata Press.
- Perhimpunan Reumatologi Indonesia. (2018). *Rekomendasi Pedoman Diagnosis dan Pengelolaan Gout*.
- Pertamawati, P., & Hardhiyuna, M. (2015). Uji Penghambatan Aktivitas Enzim Xantin Oksidase Terhadap Ekstrak Kulit Kayu Secang (*Caesalpinia sappan* L.). *Kartika Jurnal Ilmiah Farmasi*, 3(2).
- Pires, D. E. V, Blundell, T. L., & Ascher, D. B. (2015). pkCSM: Predicting Small-Molecule Pharmacokinetic and Toxicity Properties Using Graph-Based Signatures. *Journal of Medicinal Chemistry*, 58(9), 4066–4072.
- Prasad, N. K., Kanakaveti, V., Eadlapalli, S., Vadde, R., Meetei, A. P., & Vindal, V. (2013). Ligand-based pharmacophore modeling and virtual screening of RAD9 inhibitors. *Journal of Chemistry*, 2013.
- Putri, F. Y., Riza, H., & Fajriaty, I. (2019). Studi Molecular Docking Hasil Modifikasi Struktur Senyawa Atorvastatin Untuk Meningkatkan Efek Antihiperlipidemia. *Jurnal Mahasiswa Farmasi Fakultas Kedokteran*

UNTAN, 4(1).

- Ranjan, R. K., Sathish Kumar, M., Seethalakshmi, I., & Rao, M. R. K. (2013). Phytochemical analysis of leaves and roots of *Mimosa pudica* collected from Kalingavaram, Tamil Nadu. *Journal of Chemical and Pharmaceutical Research*, 5(5), 53–55.
- Rathnamali, A. (2019). International Journal of Advanced Research and Review A Review On *Mimosa pudica* Plant. *International Journal of Advanced Research and Review*, 4(11), 20–27.
- Redha, A. (2010). Flavonoid: Struktur, Sifat Antioksidatif dan Peranannya Dalam Sistem Biologis. *Jurnal Berlin*, 9(2), 196–202.
- Roy, K., Kar, S., & Das, R. N. (2015). *Understanding the Basics of QSAR for Applications in Pharmaceutical Sciences and Risk Assessment* (K. Roy, S. Kar, & R. N. B. T.-U. the B. of Q. for A. in P. S. and R. A. Das (eds.); pp. 357–425). Academic Press.
- Ruswanto, R., Nofianti, T., Mardianingrum, R., & Lestari, T. (2018). Desain dan Studi *In Silico* Senyawa Turunan Kuwanon-H sebagai Kandidat Obat Anti-HIV. *Jurnal Kimia VALENSI*, 4(1), 57–66. h\
- S, R., I, F. B., J, S., N, S. K., K, R., & S, H. (2021). *Mimosa pudica* floral nanoparticles: a potent antibiotic resistance breaker. *Inorganic and Nano-Metal Chemistry*, 51(12), 1751–1758. \\\
- Sari, I. W., Junaidin, & Pratiwi, D. (2020). Molecular Docking Study Flavonoid Compounds From Kumis Kucing (*Orthosiphon stamineus* B.) In .- Glukosidase Receptor As Antidiabetic Type 2. *Jurnal Farmagazine*, VII(2), 54–60.
- Simarmata, Y. B. C., Saragih, A., & Bahri, S. (2012). Efek Hipourikemia Ekstrak Daun Sidaguri (*Sida rhombifolia* L) Pada Mencit Jantan. *Journal of Pharmaceutics and Pharmacology*, 1(1), 21–28.
- Siswandono, S. B. (2000). Kimia medisinal. *Airlangga Univ. Press. Surabaya*, 1(2), 30–35.
- Soares, T. A., Hünenberger, P. H., Kastenholz, M. A., Kräutler, V., Lenz, T., Lins, R. D., Oostenbrink, C., & Van Gunsteren, W. F. (2005). An improved nucleic acid parameter set for the GROMOS force field. *Journal of Computational Chemistry*, 26(7), 725–737.
- Sonia, R., Yusnelti, Y., & Fitrianiingsih, F. (2020). Efektivitas Ekstrak Etanol Daun Durian (*Durio zibethinus* (Linn.)) sebagai Antihiperurisemia. *Jurnal Kefarmasian Indonesia*, 10(2), 130–139.
- Sule, J. O. (2017). Biochemical Effects Of Ethanol Leaf Extract Of *Mimosa pudica* In Thioacetamide-Induced Hepatic And Nephrotic Injury In Rats. *World Journal of Pharmaceutical and Medical Research*. October, 7–13.

- Sumiwi, S. A., Abdassah, M., & Wilar, G. (2013). *Pengembangan Ekstrak Herba Putri Malu Mimosa Pudica L. Sebagai Obat Herbal Terstandar Untuk Pengobatan Asam Urat*. Bandung: Universitas Padjajaran.
- Susanti, N. M. P., Laksmiani, N. P. L., Noviyanti, N. K. M., Arianti, K. M., & Duantara, I. K. (2019). *Molecular Docking* Terpinen-4-Ol Sebagai Antiinflamasi Pada Aterosklerosis Secara *in Silico*. *Jurnal Kimia*, 221.
- Syahputra, G., Ambarsari L, & T, S. (2014). Simulasi *docking* kurkumin enol, bisdemetoksikurkumin dan analognya sebagai inhibitor enzim 12-lipoksigenase. *Biofisika*, 10(1), 55–67.
- Tjahjono, D. H., & Hamzah, N. (2013). Studi Hubungan Kuantitatif Struktur-Aktivitas, Fitur Farmakofor, dan *Docking Molekuler* Senyawa Turunan Pirazolo-[3,4-d]-pirimidin sebagai Inhibitor Mer Tirosin Kinase. *Acta Pharmaceutica Indonesia*, 38(1), 1–10.
- Trott, O., & Olson, A. J. (2010). AutoDock Vina: improving the speed and accuracy of docking with a new scoring function, efficient optimization, and multithreading. *Journal of Computational Chemistry*, 31(2), 455–461.
- Valerio, L. G. (2014). *In Silico Methods* (P. B. T.-E. of T. (Third E. Wexler (ed.); pp. 1026–1029). Academic Press.
- Wadood, A., Ahmed, N., Shah, L., Ahmad, A., Hassan, H., & Shams, S. (2013). In-silico drug design: An approach which revolutionarised the drug discovery process. *OA Drug Design and Delivery*, 1(1).
- Wahjuni, S. (2014). *Dasar-Dasar Biokimia*. Udayana University Press.
- Wahyu Widyaningsih, wahyu. (2011). Efek Ekstrak Etanol Herba Putri Malu (*Mimosa Pudica L.*) Sebagai Penurun Kadar Asam Urat Serum Mencit Jantan Galur Swiss. *Pharmasiana*, 1(1), 29–34.
- Wahyuningsih, H. K. (2010). Pengaruh pemberian ekstrak herba meniran (*Phyllanthus niruri L.*) terhadap penurunan kadar asam urat darah tikus putih jantan Hiperurisemia. *Skripsi*.
- Wajdie, F., Kartika, R., & Saleh, C. (2018). Uji Aktivitas Antihiperurisemia Dari Ekstrak Etanol Daun Kluwih (*Artocarpus altilis* (Parkinson) Fosberg) Terhadap Mencit Jantan (*Mus musculus*). *Jurnal Atomik*, 03(2), 111–115.
- Wang, Y., Zhang, G., Pan, J., & Gong, D. (2015). Novel Insights into the Inhibitory Mechanism of Kaempferol on Xanthine Oxidase. *Journal of Agricultural and Food Chemistry*, 63(2), 526–534.
- Williamson, M. A., & Snyder, L. M. (2011). *Wallach's Interpretation of Diagnostic Tests* (9th ed.). Lippincott Williams & Wilkins.
- Wortmann, R. L. (2002). Gout and hyperuricemia. *Current Opinion in Rheumatology*, 14(3).

- Yan, A., Wang, Z., & Cai, Z. (2008). Prediction of human intestinal absorption by GA feature selection and support vector machine regression. *International Journal of Molecular Sciences*, 9(10), 1961–1976.
- Yan, J., Zhang, G., Hu, Y., & Ma, Y. (2013). Effect of luteolin on xanthine oxidase: Inhibition kinetics and interaction mechanism merging with docking simulation. *Food Chemistry*, 141(4), 2766–2773.
- Yanuar, A. (2012). *Penambatan Molekular: Praktek dan Aplikasi Pada Virtual Screening*. Fakultas Farmasi Universitas Indonesia.
- Yunita, E. P., Fitriana, D. I., & Gunawan, A. (2018). Associations between Obesity, High Purine Consumptions, and Medications on Uric Acid Level with the Use of Allopurinol in Hyperuricemia Patients. *Indonesian Journal of Clinical Pharmacy*, 7(1), 1-9.
- ZHAO, M., & YANG, J. (2019). HERG2 Channel Plays a Key Role in Insulin Secretion. *Diabetes*, 68(Supplement_1), 2180-P.
- Zubair, M. S., Maulana, S., & Mukaddas, A. (2020). Penambatan Molekuler dan Simulasi Dinamika Molekuler Senyawa Dari Genus *Nigella* Terhadap Penghambatan Aktivitas Enzim Protease HIV-1. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 6(1), 132–140.